Jack Frost

SWEATERS MITTENS

FOR BOYS AND GIRLS

LEFT – BOY'S OR GIRL'S CABLE STITCH PULLOVER No. 4140
CENTER – SPORT SHIRT No 4141
RIGHT – TURTLE NECK PULLOVER No. 4142

INSTRUCTIONS ON PAGE 22

VOLUME 41
PRICE 25¢

INSTRUCTIONS

CABLE-TWIST PULLOVER No. 4101

Size 10 to 12 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 4 Needles Double Pointed Needle

Jack Frost Sport Yarn—5 2-oz. Balls

BACK: With No. 2 Needles cast on 93 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles. Work as follows: **Row 1** (right side)—P 1, K 1, P 1, * K 6, P 1, K 1, P 1, repeat from * across row. **Row 2**—K 1, P 1, K 1, * P 6, K 1, P 1, K 1, repeat from * across row. Repeat above 2 rows, working a cable twist over the ribs of K 6, on the 9th and every 14th row thereafter as follows: slip 3 sts onto a double pointed needle, hold in back of work. K the next 3 sts; then bring the 3 sts which were slipped, forward, and K them. Work even until piece measures 12 in. from lower edge, or desired length. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 3 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 6 rows. Change to No. 2 Needles increasing to 39 sts at even intervals across row. Work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 5 in. from bound off sts at underarm. Work over 29 sts, place on st-holder. Bind off next 17 sts. On remaining 29 sts, work 2 rows even. Bind off 2 sts at neck edge every other row 4 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 7 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 77 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 48 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles increasing to 57 sts at even intervals across row. Work in pattern, increasing 1 st at each end every 6th row 6 times, then every 8th row to 87 sts. Work even until sleeve measures 17½ in., or desired length. Bind off 9 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 6 times. Bind off 2 sts at beginning of every row to 17 sts. Bind off.

Sew sleeve seams. Sew sleeves in place.

•

STRIPED PULLOVER No. 4102

Size 2 to 4 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles Size 3 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—3 Navy, 1 Red, 1 Robin Blue—1-oz. Balls

BACK: With No. 2 Needles, and Navy (N) cast on 82 sts. Work in ribbing of K 2, P 2, for 2 in. Change to No. 3 Needles and work in stripe pattern as follows: * 2 rows Red (R), 4 rows N, 2 rows Robin Blue (RB), 4 rows N, 2 rows R, 6 rows N, 2 rows RB, 4 rows N, 2 rows R, 4 rows N, 2 rows RB, 6 rows N, repeat from * throughout pullover. When piece measures 8 in. from lower edge, bind off 3 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 3 times. Work even until piece measures 4¼ in. from underarm. Bind off 10 sts at beginning of each of next 4 rows. Bind off remaining sts.

FRONT: Work same as back until piece measures 2½ in. from underarm. Work over 26 sts, place on st-holder. Bind off next 18 sts. On remaining 26 sts, decrease 1 st at neck edge every other row 6 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 10 sts every other row twice. Work other side to correspond.

Sew right shoulder and underarm seams. Sew left shoulder tog. at armhole edge about ½ in.

SLEEVES: With No. 2 Needles, and N, cast on 46 sts. Work in ribbing of K 2, P 2, for 2 in. Change to No. 3 Needles and work in stripe pattern as given for back, increasing 1 st at each end on the 12th and every 6th row thereafter to 66 sts. Work even until piece measures 11 in. or desired length to underarm. Bind off 3 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 3 times. Bind off 2 sts at beginning of every row to 20 sts. Bind off.

Sew sleeve seams. Sew sleeves in place.

NECKBAND: With No. 2 Needles, and N, on right side of garment, pick up 92 sts around neck edge. Work in stockinette st for 6 rows. K 1 row on P side for turning ridge. K 1 row, P 1 row for 6 rows. Bind off. Turn neckband under on turning ridge. Sew to wrong side.

Work 1 row of s c around shoulder opening, working loops for buttonholes at front edge.

•

CABLE-YOKE PULLOVER No. 4103

Size 4 to 6 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles Double Pointed Needle

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—5 1-oz. Balls

BACK: With No. 2 Needles cast on 86 sts. Work in ribbing of K 2, P 2, for 2 in. Change to No. 3 Needles. Work even in stockinette st until piece measures 9 in. or desired length to underarm. Bind off 3 sts at beginning of each of next 2 rows for underarm. Work even until piece measures 2 in. from underarm. Work as follows: **Row 1**—P 2, * K 4, P 2, repeat from * across row. **Row 2**—K 2, * P 4, K 2, repeat from * across row. Repeat above 2 rows, working a cable twist over the first and every other rib of K 4 on the 3rd and every 6th row thereafter to neck edge, as follows: slip first 2 sts onto double pointed needle, hold in back of work. K next 2 sts, then bring the 2 sts which were slipped, forward, and K them. When piece measures 4½ in. from underarm, bind off 7 sts at beginning of each of next 6 rows. Change to No. 2 Needles. Work in ribbing of K 2, P 2, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 3½ in. from underarm. Continuing pattern, work over 30 sts. Place on st-holder. Bind off next 20 sts. On remaining 30 sts, keeping armhole edge even, bind off 3 sts at neck edge every other row 3 times. Work even until armhole corresponds to back. Starting at shoulder edge bind off 7 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 62 sts from end to end of neckband. Work in ribbing of K 2, P 2, for 7 rows. Bind off. Work loops for buttonholes on both sides of front neck band at shoulder.

Sew shoulder seams.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 77 sts from end to end of armhole. Decrease 1 st at each end every 8th row 7 times, then every 6th row to 48 sts. Work even until sleeve measures 10½ in. or desired length to cuff. Change to No. 2 Needles. Work in ribbing of K 2, P 2, for 2½ in. Bind off.

Sew underarm and sleeve seams.

•

CHILD'S PULLOVER No. 4104

Size 3 to 4 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—4 1-oz. Balls

BACK: With No. 2 Needles cast on 81 sts. Work in ribbing of K 1, P 1, for 1¾ in. Change to No. 3 Needles. Work in stockinette st until piece measures 8 in. Bind off 6 sts at beginning of each of next 2 rows for underarm. Work even until piece measures 4¼ in. from underarm. Bind off 7 sts at beginning of each of next 6 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: With No. 2 Needles cast on 81 sts. Work same as back until piece measures 7 in. then work as follows: **Row 1 (right side)**—K 3, * P 3, K 3, repeat from * across row. **Row 2**—P 3, * K 3, P 3, repeat from * across row. Repeat above 2 rows once. **Row 5**—P 3, * K 3, P 3, repeat from * across row. **Row 6**—K 3, * P 3, K 3, repeat from * across row. Repeat Rows 5 and 6 once. Repeating above 8 rows, bind off 6 sts at beginning of each of next 2 rows for underarm. Work 6 rows even; then work as follows: **(right side)**—K 21; P 3, K 3, over next 27 sts, K 21. Keeping first and last 21 sts worked in stockinette st, and working block pattern over center 27 sts, work even until piece measures 2½ in. from underarm. Work over 24 sts, place on st-holder. Bind off next 21 sts. On remaining 24 sts, decrease 1 st at neck edge

(Continued on page 4)

Copyright 1946, U. S. and Canada
Gottlieb Bros., N. Y.

Particular care has been taken to have the instructions in this volume accurate. However, we cannot assume responsibility for human or typographical errors. Always check your scale of stitches before starting a garment.

LEFT—CABLE TWIST PULLOVER No. 4101 RIGHT—CABLE YOKE PULLOVER No. 4103
CENTER—STRIPED PULLOVER No. 4102

PULLOVER 4104—*(Continued from page 2)*

every other row 3 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 7 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 71 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew shoulder seams.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 77 sts from end to end of armhole. Work 4 rows even in stockinette st. Decrease 1 st at each end on next row and every 8th row thereafter to 65 sts, then every 4th row to 53 sts. Work even until sleeve measures 10 in. or desired length to cuff. Change to No. 2 Needles decreasing to 44 sts at even intervals across row. Work in ribbing of K 1, P 1, for 2½ in.

Sew underarm and sleeve seams.

•

BOY'S OR GIRL'S PULLOVER No. 4105

Size 8 to 10 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 4 Needles

SCALE: 6½ sts to 1 in.

Jack Frost Fingering Fleece—6 1-oz. Balls

BACK: With No. 2 Needles cast on 82 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 4 Needles increasing to 92 sts at even intervals across row. Work even in stockinette st until piece measures 10 in. or desired length from lower edge. Bind off 5 sts at beginning of each of next 2 rows. Work even until piece measures 5½ in. from underarm. Bind off 8 sts at beginning of each of next 6 rows. Change to No. 2 Needles, increasing to 38 sts at even intervals across row. Work in ribbing of K 2, P 2, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 3½ in. from bound off sts at underarm; work over 29 sts, place on st-holder. Bind off next 24 sts. On remaining 29 sts, keeping armhole edge even, decrease 1 st at neck edge every other row 5 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 8 sts every other row 3 times. Work othed side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 66 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 7 rows. Bind off.

Sew shoulder seams.

SLEEVES: With No. 4 Needles on right side of garment, pick up 78 sts from end to end of armhole. Work even for 10 rows. Decrease 1 st at each end of next row and every 8th row to 54 sts. Work even until sleeve measures 11½ in., or desired length. Change to No. 2 Needles, decreasing to 44 sts at even intervals across row. Work in ribbing of K 2, P 2, for 2½ in. Bind off.

Sew underarm and sleeve seams.

•

FINGERING YARN PULLOVER No. 4106

Size 4 to 6 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—5 1-oz. Balls

BACK: With No. 2 Needles cast on 87 sts. Work in ribbing of K 1, P 1, for 2 in. Change to No. 3 Needles and work in pattern as follows: **Row 1**—P 3, * K 1, P 3, repeat from * across row. **Row 2**—K 3, * P 1, K 3, repeat from * across row. **Row 3**—Repeat Row 1. **Row 4**—Repeat Row 2. **Row 5**—P 1, * K 1, P 3, repeat from * across row ending K 1, P 1. **Row 6**—K 1, * P 1, K 3, repeat from * across row ending P 1, K 1. **Row 7**—Repeat Row 5. **Row 8**—Repeat Row 6. Above 8 rows form pattern. Repeat them until piece measures 9 in. or desired length from lower edge. Bind off 4 sts at beginning of each of next 2 rows. Work even until pieces measures 3 in. from underarm, ending on wrong side. Discontinue pattern and work in ribbing of P 1, K 1 until piece measures 4½ in. from bound off sts at underarm, or desired length to shoulder. Bind off 6 sts at beginning of each of next 6 rows. Bind off remaining sts.

FRONT—Work to correspond to back.

Sew shoulder seams.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 75 sts from end to end of armhole. Work in pattern, decreasing 1 st at each end every 6th row to 63 sts, then every 8th row to 53 sts. Work even until sleeve measures 10½ in. or desired length to cuff. Change to No. 2 Needles, decreasing to 45 sts at even intervals across row. Work in ribbing of K 1, P 1, for 2½ in. Bind off. Sew underarm and sleeve seams.

BOY'S OR GIRL'S CARDIGAN No. 4107

Size 2 to 4 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—4 1-oz. Balls

BACK: With No. 3 Needles cast on 81 sts. Work in ribbing of K 1, P 1, for 1½ in. Discontinue ribbing and work even in stockinette st until piece measures 8 in. or desired length from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm. Work even until piece measures 4½ in. from underarm. Bind off 7 sts at beginning of each of next 6 rows. Bind off remaining sts for back of neck.

LEFT FRONT: With No. 3 Needles cast on 48 sts. Work in ribbing (right side) of K 1, P 1, working a buttonhole 1 in. from lower edge as follows: K 1, P 1, over first 44 sts, K 2 tog., Y O, K 1, P 1. Work back, working the Y O as a st. Repeat buttonholes every 1½ in. to neck edge of cardigan, working last buttonhole on neck band. When piece measures 1½ in. from lower edge, work in stockinette st, keeping last 6 sts in ribbing for buttonhole band. Work even until piece measures 8 in from lower edge. Bind off 5 sts at underarm edge once; decrease 1 st at underarm edge every other row 5 times. Work even until piece measures 3 in. from underarm ending at neck edge. Work over first 6 sts. Place on pin. Bind off next 5 sts, work across row. Keeping armhole edge even, bind off 2 sts at neck edge every other row 3 times. Work even until armhole corresponds to back. Starting at shoulder edge bind off 7 sts every other row 3 times. Work right front to correspond, omitting buttonholes.

Sew shoulder seams.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 66 sts from end to end of armhole. Work 7 rows even. Decrease 1 st at each end of next, and every 8 row thereafter to 54 sts. Work even until piece measures 8 in. or desired length to cuff, ending on wrong side. Change to No. 2 Needles decreasing to 41 sts at even intervals across row. Work in ribbing of K 1, P 1, for 2½ in. Bind off.

Sew underarm and sleeve seams.

NECKBAND: With No. 2 Needles, on right side of garment, pick up 75 sts from end to end of neckband, including sts which were placed on st-holder. Work in ribbing of K 1, P 1, for 7 rows, working last buttonhole on 2nd row. Bind off.

•

CREW-NECK PULLOVER No. 4108

Size 3 to 4 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—4 1-oz. Balls

BACK: With No. 2 Needles cast on 81 sts. Work in ribbing of K 1, P 1, for 2 in. Change to No. 3 Needles and work even in stockinette st until piece measures 8½ in. or desired length from lower edge. Bind off 3 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 3 times. Work even until piece measures 2½ in. from underarm, then work in ribbing of K 1, P 1, for 2 in. Bind off 4 sts at beginning of each of next 6 rows. Bind off remaining sts loosely.

FRONT: Work to correspond to back.

Sew shoulder seams.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 70 sts from end to end of armhole. Work even in stockinette st for 10 rows, decrease 1 st at each end of next row and every 6th row to 52 sts. Work even until sleeve measures 9 in. or desired length to cuff. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 2 in. Bind off.

Sew underarm and sleeve seams.

•

SPORT YARN PULLOVER No. 4109

Size 8 to 10 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 4 Needles

SCALE: 6½ sts to 1 in.

Jack Frost Sport Yarn—½ oz. Red, ½ oz. Black, 4 2-oz. Balls Natural

BACK: With No. 2 Needles and Natural (N), cast on 94 sts. Work in ribbing of K 1, P 1, for 2½ in. Change to No. 4 Needles and work even in stockinette st for 2 in., then work as follows: 2 rows Black (B), * 4 rows N , 2 rows Red (R), 4 rows N, 2 rows B, repeat from * twice. With N, work even until piece measures 10½ in. or desired length from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures

(Continued on page 6)

LEFT—CHILD'S PULLOVER No. 4104 RIGHT—FINGERING YARN PULLOVER No. 4106
CENTER—BOY'S OR GIRL'S PULLOVER No. 4105

PULLOVER 4109—*(Continued from page 4)*

5½ in. from underarm. Bind off 5 sts at beginning of each of next 8 rows. Change to No. 2 Needles increasing to 37 sts at even intervals across row. Work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 3½ in. from bound off sts at underarm. Then work as follows: work over 27 sts, place on st-holder. Bind off next 20 sts. On remaining 27 sts, decrease 1 st at neck edge every other row 7 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 5 sts every other row 4 times. Work other side to correspond.

FRONT NECK BAND: With No. 2 Needles, on right side of garment, pick up 65 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew shoulder seams.

SLEEVES: With No. 4 Needles, on right side of garment, pick up 20 sts across shoulder. Work back and forth in stockinette st, picking up 5 sts at end of each row until 80 sts have been picked up from end to end of armhole. Work 6 rows even; decrease 1 st at each end on next row and every 6th row thereafter to 60 sts, then every 4th row to 56 sts. Work even until sleeve measures 12 in. or desired length to cuff. Change to No. 2 Needles decreasing to 47 sts at even intervals across row. Work in ribbing of K 1, P 1, for 3 in. Bind off.

Sew sleeve and underarm seams.

•

BROTHER AND SISTER CARDIGAN No. 4110

Size 2, 4, and 6 yr.

1 Pr. Standard No 2 Needles

1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—2 and 4 yr.—4 1-oz. Balls 6 yr.—5 1-oz. Balls

BACK: With No. 3 Needles cast on 86 sts (4 yr.—92, 6 yr.—98). Work in ribbing of K 1, P 1, for 2 in. Work even in stockinette st until piece measures 9 in. (4 yr.—10½ in., 6 yr.—11½ in.), or desired length from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even on remaining sts until piece measures 3½ in. (4 to 6—4 in.) from underarm. Work even in garter st until armhole measures 4½ in. (4 yr.—4¾ in., 6 yr.—5 in.) from underarm; then work as follows (wrong side): work over 20 sts (4 yr.—22 sts, 6 yr.—24 sts), place on st-holder. Bind off next 30 sts (4 yr.—32 sts, 6 yr.—34 sts). On remaining sts work 10 rows even in garter st; increase 1 st at neck edge every other row 6 times (4 yr.—8 times, 6 yr.—10 times). Discontinue garter st, and working in stockinette st, cast on 10 sts at neck edge once (4 yr.—12 sts, 6 yr.—14 sts). Keeping 7 sts at neck edge in garter st, and remaining sts in stockinette st, work even to last decrease at underarm. Increase 1 st at underarm edge every other row 4 times; cast on 7 sts at underarm edge once. Complete to correspond to back. Work left side to correspond, working first buttonhole 1¼ in. from cast on sts at neck edge, and about every 1½ in. thereafter to lower edge as follows: starting at front edge, K 2, bind off next 3 sts, work across row. On next row, cast on 3 sts over 3 bound off sts.

NECKBAND: With No. 2 Needles, on right side of garment, pick up 89 sts (4 yr.—95, 6 yr.—101) from end to end of neck band. Keeping first and last 7 sts in garter st, work in ribbing of K 1, P 1, for 7 rows, working last buttonhole on 2nd row. Bind off.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 68 sts (4 yr.—72, 6 yr.—78) from end to end of armhole. Work 4 rows even in garter st then 8 rows in stockinette st (6 yr.—10 rows). Decrease 1 st at each end of next row and every 8th row 7 times (4 yr.—9 times, 6 yr.—11 times). Work even until sleeve measures 8 in. (4 yr.—10 in., 6 yr.—12 in.) or desired length to cuff. Change to No. 2 Needles, decreasing to 48 sts (6 yr.—52) at even intervals across row. Work in ribbing of K 1, P 1, for 2½ in. Bind off.

Sew underarm and sleeve seams.

•

MATCHING PULLOVER No. 4111

Size 2, 4, and 6 yr.

1 Pr Standard No. 2 Needles

1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—4 1-oz. Balls 6 yr.—5 1-oz. Balls

BACK: With No. 2 Needles cast on 81 sts (4 yr.—87 st, 6 yr.—93 sts). Work in ribbing of K 1, P 1, for 2 in. Change to No. 3 Needles and work even in stockinette st until piece measures 8 in. (4 to 6—9 in.) or desired length from lower edge. Bind off 3 sts (4 yr.—4 sts, 6 yr.—5 sts) at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 3 times. Work even on remaining sts until piece measures 3½ in. (4 to 6—4 in.) from underarm, then work even in garter st until armhole measures 4½ in. (4 yr.—4¾ in., 6 yr.—5 in.) from bound off sts at underarm. Then work as follows: work over 20 sts (4 yr.—22, 6 yr.—24), place on st-holder. Bind off next 29 sts. On remaining sts work even in garter st for 10 rows, then work in stockinette st for 6 rows (4 to 6 yr.—10 rows). Increase 1 st at neck edge every other row 5 times, ending at neck edge. Break yarn. Work other side to correspond. Cast on 19 sts for front of neck, join to left front. Work even to last decrease at back underarm, turning to measure at first garter st ridge over shoulder. Increase 1 st at each end every other row 3 times; cast on 3 sts (4 yr.—4 sts, 6 yr.—5 sts) at beginning of each of next 2 rows. Complete to correspond to back.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 66 sts (4 yr.—72, 6 yr.—78 sts) from end to end of armhole. Work 4 rows even in garter st, then 8 rows in stockinette st. Decrease 1 st at each end every 8th row 7 times (4 yr.—9 times, 6 yr.—11 times). Work even until sleeve measures 8 in. (4 yr.—10 in., 6 yr.—12 in.) or desired length to cuff. Change to No 2 Needles, decreasing to 41 sts (4 to 6 yr.—45 sts) at even intervals across row. Work in ribbing of K 1, P 1, for 2 in. Bind off.

NECKBAND: With No. 3 Needles, on right side of garment, pick up 29 sts across back of neck. Work in ribbing of K 1, P 1, for 6 rows. Bind off. With No. 3 Needles, on right side of garment, pick up 67 sts (4 to 6 yr.—77 sts) from shoulder to shoulder across front of neck. Work in ribbing of K 1, P 1, for 6 rows. Bind off.

Sew shoulder, underarm and sleeve seams.

•

RIBBED SLEEVELESS PULLOVER No. 4112

Size 10 to 12 yr.

1 Pr. Standard No. 3 Needles

1 Pr. Standard No. 4 Needles

Jack Frost Sport Yarn—3 2-oz. Balls

BACK: With No. 2 Needles cast on 94 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles and work in pattern as follows: **Row 1 (right side)**—K 1, P 2, repeat across row ending K 1. **Row 2**—P 1, K 2, repeat across row ending P 1. Repeat above 2 rows until piece measures 9½ in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 8 in. from underarm. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back to underarm. Bind off 6 sts at beginning of each of next 2 rows for underarm. Work over 41 sts. Place on st-holder. On remaining 41 sts decrease 1 st at underarm edge every other row 6 times. At the same time, start decreasing 1 st at neck edge every other row 4 times, then every 4th row 13 times. Work even on remaining 18 sts until piece measures 8 in. from bound off sts at underarm. Starting at shoulder edge, bind off 6 sts every other row 3 times. Work other side to correspond.

FRONT NECK BAND: With No. 2 Needles pick up 62 sts from shoulder to point of V, 1 st at point of V, and 62 sts from point of V to shoulder. Work in ribbing of K 1, P 1, decreasing 1 st before and after the center st at point of V, every row for 7 rows. Bind off, decreasing as described above.

Sew shoulder seams.

ARMHOLE BAND: With No. 2 Needles, on right side of garment, pick up 123 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew underarm seams.

•

WILLOW YARN RIB CARDIGAN No. 4113

Size 6 to 8 and 10 to 12 yr.

1 Pr. Standard No. 13 Needles 1 Size 9 Bone Crochet Hook

SCALE: 3 sts to 1 in.

Jack Frost Willow Yarn—7 2-oz. Skeins

BACK: Cast on 39 sts (10 to 12—45). Work in ribbing of K 1, P 1, until piece measures 11 in. (10 to 12—12½ in.) or desired length from lower edge. Bind off 4 sts at beginning of each of next 2 rows. Work even until piece measures 4¾ in. (10 to 12—5½ in.) from bound off sts at underarm. Bind off 2 sts (10 to 12 yr.—3) at beginning of each of next 2 rows, then 3 sts (10 to 12—4) at beginning of each of next 4 rows. Bind off remaining sts.

POCKET LINING: Cast on 12 sts (10 to 12—14). Work in ribbing of P 1, K 1, (right side) for 19 rows (10 to 12—21 rows). Place on st-holder.

LEFT FRONT. Cast on 21 sts (10 to 12—25). Work in ribbing of K 1, P 1, (right side) for 18 rows (10 to 12—20 rows), ending on wrong side. On next row, K 1, P 1, over first 5 sts (10 to 12—7). Bind off next 12 sts (10 to 12—14) for pocket opening. P 1, K 1,

(Continued on page 8)

LEFT—BOY'S OR GIRL'S CARDIGAN No. 4107 RIGHT—SPORT YARN PULLOVER No. 4109
CENTER—CREW NECK PULLOVER No. 4108

CARDIGAN 4113—*(Continued from page 6)*

over remaining sts. On next row, P 1, K 1, over first 4 sts, place pocket lining on left hand needle, and work across row, being sure that ribbing matches. Work even until piece corresponds to back from lower edge. Bind off 4 sts at armhole edge once; work even until piece measures 4½ in. from underarm. Starting at neck edge, bind off 5 sts (10 to 12—6) once, decrease 1 st at neck edge every other row 4 times. Work even until armhole corresponds to back. Bind off 2 sts (10 to 12—3) at shoulder edge once, then 3 sts (10 to 12—4) every other row twice. Work right side to correspond, reversing instructions for pocket opening.

Sew shoulder and underarm seams.

SLEEVES: Cast on 23 sts (10 to 12—27). Work in ribbing of K 1, P 1, increasing 1 st at each end every 4th row 3 times. Work 2 rows (10 to 12—6 rows) even. Bind off 4 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 3 times. Work even until piece measures 4½ in. from bound off sts at underarm. Bind off 5 sts (10 to 12—6) at beginning of each of next 2 rows. Work even on remaining 5 sts (10 to 12—7) for 5 rows (10 to 12—7 rows). Bind off. Sew bound off sts at top of sleeve to edges of insert. Sew sleeve seams. Sew sleeves in place. Work 1 row of s c around front and neck edge of cardigan, working loop for buttonhole at neck edge on right side as illustrated.

Sew pocket lining to wrong side of cardigan.

•

FINGERING YARN TWIN SET CARDIGAN No. 4114

Size 8 to 9 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—6 1-oz. Balls

BACK: With No. 3 Needles cast on 100 sts. Work in ribbing of K 1, P 1, for 1½ in. K 1 row increasing to 102 sts. Work even in stockinette st until piece measures 11½ in. from lower edge. Bind off 4 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 4 times. Work even until piece measures 2 in. from underarm, then work in pattern as follows: **Row 1 (right side)**—P 2, * K 4, P 2, repeat from * across row. **Row 2**—K 2, * P 4, K 2, repeat from * across row. **Row 3**—P 2, * keeping yarn in back of work, insert right hand needle from front to back between the 4th and 5th st on left hand needle, draw up a loop. K the 4 sts, then slip the top thread of the loop over the 4 sts. P next 2 sts. Repeat from * ending P 2. **Row 4**—Repeat Row 2. **Row 5**—K 3, * P 2, K 4, repeat from * ending P 2. **Row 6**—P 3, * K 2, P 4, repeat from * ending K 2, P 3. **Row 7**—K 1, keeping yarn in back of work, insert right hand needle from front to back between 2nd and 3rd st on left hand needle. Draw up a loop, K the 2 sts, slip top thread of loop over the 2 sts * P next 2 sts; with yarn in back of work, insert right hand needle between 4th and 5th st on left hand needle, draw up a loop, K the 4 sts. Slip the top loop over the 4 sts, repeat from * across row ending P 2; insert needle between 2nd and 3rd sts on left hand needle, draw up a loop, K the 2 sts. Slip loop over the 2 K sts, K 1. **Row 8**—Repeat Row 6. Above 8 rows form pattern. Repeat them until piece measures 5½ in. from bound off sts at underarm. Bind off 6 sts at beginning of each of next 8 rows. Bind off remaining sts.

RIGHT FRONT: With No. 3 Needles cast on 64 sts. Work in ribbing of P 1, K 1, working first buttonhole on the 12th row as follows: P 1, K 1, over first 4 sts, bind off next 3 sts, work across row. On the next row cast on 3 sts over the 3 bound off sts. Repeat buttonholes every 22 rows to neck edge. When piece measures 1½ in. from lower edge, keeping first 11 sts worked in ribbing of P 1, K 1, for buttonhole band, and remaining sts in stockinette st, work even until piece measures 11½ in. from lower edge. Bind off 8 sts at underarm edge once; decrease 1 st at underarm edge every other row 7 times. Work even until piece measures 2 in. from bound off sts at underarm. Then work in pattern as given for yoke until piece measures 4 in. from bound off sts at underarm. Starting at front edge, work in ribbing of P 1, K 1, over first 11 sts. Place on pin. Bind off next 6 sts, then bind off 2 sts every other row 4 times. Work even until piece measures 5½ in. from bound off sts at underarm. Starting at shoulder edge, bind off 6 sts every other row 4 times. Work other side to correspond, omitting buttonholes. Sew shoulder seams.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 20 sts across shoulder. Work back and forth in stockinette st, picking up 4 sts at end of each row until 78 sts have been picked up from end to end of armhole. Work 10 rows even. Decrease 1 st at each end of next row and every 8th row thereafter to 64 sts. Work even until sleeve measures 13 in. or desired length to cuff. Change to No. 2 Needles decreasing to 45 sts at even intervals across row. Work in ribbing of K 1, P 1, for 3 in. Bind off.

Sew underarm and sleeve seams.

NECKBAND: With No. 2 Needles, on right side of garment, pick up 105 sts from end to end of neckband, including sts which were placed on pin. Work in ribbing of K 1, P 1, for 8 rows, working last buttonhole on second row. Bind off.

•

MATCHING PULLOVER No. 4115

Size 8 to 9 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—6 1-oz. Balls

BACK: With No. 2 Needles cast on 90 sts. Work in ribbing of K 1, P 1, for 2½ in. Change to No. 3 Needles increasing to 102 sts at even intervals across row. Work even in stockinette st until piece measures 9½ in. or desired length from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 2 in. from underarm, then work in pattern as described for yoke of Cardigan No. 4114, until piece measures 5 in. from bound off sts at underarm. Bind off 6 sts at beginning of each of next 8 rows. Change to No. 2 Needles increasing to 39 sts. Work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 3¾ in. from bound off sts at underarm. Work over 29 sts, place on st-holder. Bind off next 28 sts for front of neck. On remaining 29 sts decrease 1 st at neck edge every other row 5 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 6 sts every other row 4 times. Work other side to correspond.

FRONT NECK BAND: With No. 2 Needles, on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew shoulder seams. Work loop for buttonholes on each side of front neck band.

SLEEVES: With No. 2 Needles cast on 68 sts. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 3 Needles, increasing to 72 sts. Work in stockinette st, increasing 1 st at each end every 4th row 4 times. Work even until sleeve measures 4 in. from lower edge. Bind off 6 sts at beginning of eah of next 2 rows; decrease 1 st at each end every other row 6 times. Bind off 2 sts at beginning of each of next 20 rows. Bind off remaining sts.

Sew underarm and sleeve seams. Sew sleeves in place. If long sleeves are desired follow sleeve instructions for Cardigan, No. 4114.

•

RIBBED TWIN SET CARDIGAN No. 4116

Size 10 to 12 yrs.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

Jack Frost Fingering Fleece—8 1-oz. Balls

BACK: With No. 3 Needles cast on 118 sts. Work in ribbing of K 2, P 2, until piece measures 12 in. from lower edge or desired length. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 6 in. from underarm. Bind off 7 sts at beginning of each of next 8 rows. Bind off remaining sts.

RIGHT FRONT: With No. 3 Needles cast on 65 sts. Keeping first 7 sts worked in garter st, work in ribbing of P 2, K 2, over remaining sts (right side), working first buttonhole 1 in. from lower edge as follows: K 3, bind off next 2 sts, work across row. Work back, casting on 2 sts over the bound off sts. Repeat buttonholes about every 2¼ in. to neck edge, working last buttonhole in 2nd row of neckband. When piece measures 12 in. from lower edge, bind off 6 sts at armhole edge once; decrease 1 st at armhole edge every other row 6 times. Work even until piece measures 4½ in. from underarm. Starting at neck edge, work over 7 sts, place on pin. Bind off next 10 sts, then bind off 2 sts at neck edge every other row 4 times. Work even until armhole corresponds to back. Starting at shoulder edge bind off 7 sts every other row 4 times. Work other side to correspond, omitting buttonholes.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 52 sts. Work in ribbing of K 2, P 2, for 3 in. Change to No. 3 Needles and increase 1 st at each end of next row and every 6th row to 72 sts, then every 8th row to 90 sts. Work even until sleeve measures 17½ in. or desired length from lower edge. Bind off 6 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 6 times. Bind off 2 sts at beginning of each of next 20 rows. Bind off remaining sts. Sew sleeve seams. Sew sleeves in place.

NECKBAND: With No. 2 Needles, on right side of garment, pick up 108 sts from end to end of neckband, including sts which were placed on pin. Keeping first and last 7 sts worked in garter st, work in ribbing of P 2, K 2, for 8 rows, working last buttonhole on 2nd row. Bind off.

BROTHER AND SISTER TWIN SET
LEFT—CARDIGAN No. 4110

RIGHT—RIBBED SLEEVELESS PULLOVER No. 4112
CENTER—MATCHING PULLOVER No. 4111

MATCHING PULLOVER No. 4117

Size 10 to 12 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

Jack Frost Fingering Fleece—6 1-oz. Balls

BACK: With No. 2 Needles cast on 110 sts. Work in ribbing of K 2, P 2, for 3 in. Change to No. 3 Needles and work even until piece measures 10 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 5½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows. Change to No. 2 Needles and work in ribbing of K 2, P 2, for 8 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 3½ in. from bound off sts at underarm. Work over 33 sts, place on st-holder. Bind off next 24 sts for front of neck. On remaining 33 sts decrease 1 st at neck edge every other row 5 times. Work even until armhole corresponds to back. Starting at shoulder edge bind off 7 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 82 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 8 rows. Bind off.
Sew shoulder and underarm seams.

SLEEVES: With No. 3 Needles cast on 70 sts. Work in ribbing of K 2, P 2, increasing 1 st at each end every 4th row 8 times. Work even until piece measures 3½ in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 6 times. Bind off 2 sts at beginning of each of next 20 rows. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

WILLOW YARN BOX CARDIGAN No. 4118

Size 8 to 10 yrs.

1 Pr. Standard No. 13 Needles Size 9 Bone Crochet Hook

Jack Frost Willow Yarn—8 2-oz. Skeins

BACK: Cast on 38 sts. Work in pattern as follows: **Row 1 (wrong side)**—K 1, * P 1, K 2, P 2, K 2, repeat from * across row ending P 1, K 1, **Row 2**—P 1, * K 1, P 2, K 2, P 2, repeat from * across row ending K 1, P 1. **Row 3**—Repeat Row 1. **Row 4**—P 1. * K 1, P 2, K the 2nd st on left hand needle from the back, then K first st, lift both sts off tog., P 2, repeat from * across row ending K 1, P 1. Above 4 rows form pattern. Repeat them until piece measures 11 in. from lower edge or desired length. Bind off 3 sts at beginning of each of next 2 rows for underarm. Work even until piece measures 5 in. from underarm. Bind off 3 sts at beginning of each of next 6 rows. Bind off remaining sts.

POCKET LINING: Cast on 12 sts. Work in ribbing as follows: **Row 1 (right side)**—P 2, K 1, P 2, K 2, P 2, K 1, P 2. **Row 2**—K 2, P 1, K 2, P 2, K 2, P 1, K 2. Repeat above 2 rows for 19 rows. Place on st-holder.

LEFT FRONT: Cast on 24 sts. Work in pattern as on back for 18 rows; then bind off for pocket opening as follows: Work over 6 sts, bind off next 12 sts for pocket opening, work across row. On next row, work back to bound off sts, place pocket lining from st-holder to left hand needle, work across row. Work even in pattern until piece measures 11 in. from lower edge. Keeping front edge even, bind off 3 sts at underarm edge once; decrease 1 st at underarm edge every other row 3 times. Work even until piece measures 3¾ in. from underarm. Keeping armhole edge even, bind off 5 sts at neck edge once; decrease 1st at neck edge every row 4 times. Work even until armhole corresponds to back. Starting at shoulder edge bind off 3 sts every other row 3 times. Work other side to correspond.

Sew shoulder and underarm seams. Sew pocket lining to wrong side of cardigan.

SLEEVES: Cast on 19 sts. Starting with P 2, instead of P 1 as described for back, work in pattern, increasing 1 st at each end every 8th row to 31 sts Work even until sleeve measures 14 in. or desired length to underarm. Bind off 3 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 3 times. Work even until piece measures 4½ in. from bound off sts at underarm. Bind off 6 sts at beginning of each of next 2 rows. Work even on remaining 7 sts for 6 rows. Bind off.

Sew bound off sts at top of sleeve to edges of insert. Sew sleeve seams. Sew sleeves in place.

CROCHET BAND: Starting at neck edge of right front, work 35 s c to lower edge, ch 1, turn. Work 1 s c in each of first 4 sts, * ch 2, skip 1 st, work 1 s c in each of next 5 sts, repeat from * 4 times, ch 2, skip 1 st, 3 s c in corner st, 32 s c around neck edge, 3 s c in corner st, 35 s c to lower edge of left front. Fasten off.

RAGLAN-SLEEVE CARDIGAN No. 4119

Size 12 (sizes 4 to 6 and 8 to 10 in parenthesis)

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 4 Needles 1 Circular Needle size 4—24 in.

SCALE: 7 sts to 1 in.

Jack Frost Knitting Worsted: 12 yr. size—4 4-oz. Hanks

Starting at neck, with No. 4 Circular Needle, cast on 77 sts (4 to 6—56 sts, 8 to 10—65 sts). Work as follows: **Row 1**—K 3, purl across row, ending K 3. **Row 2**—K 16 (4 to 6—11, 8 to 10—13) (front), increase 1 st in each of next 2 sts (seam sts), K 6 (4 to 6—3, 8 to 10—4) (sleeve), increase 1 st in each of next 2 sts (seam sts), K 25 (4 to 6—20, 8 to 10—23) (back), increase in each of next 2 sts (seam sts), K 6 (4 to 6—3, 8 to 10—4) (sleeve), increase 1 st in each of next 2 sts (seam sts), K 16 (4 to 6—11, 8 to 10—13) (front). **Row 3 and all uneven rows**—Purl, always knitting the first and last 3 sts. **Row 4**—K 17 (4 to 6—12, 8 to 10—14), increase 1 st in each of next 2 sts, K 8 (4 to 6—5, 8 to 10—6), increase in next 2 sts, K 27 (4 to 6—22, 8 to 10—25), increase in next 2 sts, K 8 (4 to 6—5, 8 to 10—6), increase in next 2 sts, K 17 (4 to 6—12, 8 to 10—14).
Continue increasing in the above manner until raglan seam measures 10 in. (4 to 6—8 in., 8 to 10—9 in.). Starting on right side of garment, K across to first sleeve seam. Leave sts on circular needle. With No. 4 straight needles, K across sleeve to second seam. Leave remaining sts on circular needle. Work 5 rows even; decrease 1 st at each end on next row and every 6th row thereafter until 6 decrease rows have been made. Work even to desired length. Change to No. 2 Needles, decreasing to 44 sts (4 to 6—36, 8 to 10—40) at even intervals across row. Work in ribbing of K 2, P 2, for 2½ in. Bind off. Attach yarn at underarm and K across back on circular needle to 3rd raglan seam. With straight needles, work other sleeve to correspond. Attach yarn at underarm and work across remaining sts to front edge. P back, keeping first and last 3 sts K on the P side, joining garment at underarms.

BAND FOR TOP OF POCKET: With No. 4 Needles cast on 23 sts (4 to 6—20, 8 to 10—23). Work even in garter st for 10 rows. Place on st-holder. On right side of garment (second row after joining underarms), bind off for pocket opening as follows: K 15 (4 to 6—10, 8 to 10—13), bind off 23 sts (4 to 6—20, 8 to 10—23), work across row. P back to bound off sts. Place pocket top sts from st-holder to left hand needle, and P them. P across row. Work even in stockinette st until piece measures desired length from underarm. Change to No. 2 Needles and work in ribbing of K 2, P 2, for 4 in., keeping first and last 3 sts worked in garter st. Bind off.

POCKET LINING: With No. 4 Needles pick up 23 sts (4 to 6—20, 8 to 10—23) across upper edge of pocket. Work in stockinette st for 4 in. Bind off.

COLLAR: With No. 2 Needles, on right side of garment, pick up 30 sts (4 to 6—28, 8 to 10—28) across back of neck. Work back and forth in ribbing of K 2, P 2, picking up 4 sts at end of each row until 78 sts (4 to 6—60, 8 to 10—70) have been picked up from end to end of neckband. Work 2 rows even. Bind off.
Sew sleeve seams. Sew pocket lining to wrong side of cardigan. Sew side of garter st band to cardigan. Sew zipper in place at front opening.

•

SLEEVELESS RIBBED PULLOVER No. 4120

Size 14 (sizes 8, 10 and 12 in parenthesis)

1 Pr. Standard No. 1 Needles
1 Pr. Standard No. 4 Needles Size 3 Steel Crochet Hook

Jack Frost Fingering Fleece—4 1-oz. Balls

BACK: With No. 1 Needles cast on 110 sts (8 to 10 yr.—82 sts, 12 yr.—94 sts). Work in ribbing of K 2, P 2, for 3 in. Change to No. 4 Needles and continue ribbing until piece measures 11 in. (8 to 10—9 in., 12—10 in.), or desired length to underarm. Bind off 4 sts at beginning of each of next 2 rows. Work even in pattern until piece measures 8½ in. (8 to 10—7½ in., 12—8 in.), or desired length from bound off sts at underarm. Bind off in ribbing of K 2, P 2.

FRONT: Work to correspond to back.
Sew shoulder and underarm seams. Work 1 row of s c around armholes, being sure to keep work flat.

•

SPEED-KNIT SLEEVELESS PULLOVER No. 4121

Size 8 to 10 yr.

1 Pr. Standard No. 4 Needles
1 Pr. Standard No. 8 Needles

Jack Frost Knitting Worsted—2 4-oz. Hanks

FRONT: With No. 4 Needles cast on 72 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 8 Needles, decreasing to 64 sts

(Continued on page 12)

LEFT—WILLOW YARN RIB CARDIGAN No. 4113 RIGHT—MATCHING PULLOVER No. 4115
FINGERING YARN TWIN SET. CENTER—CARDIGAN No. 4114

PULLOVER 4121—*(Continued from page 10)*

at even intervals across row. Work even in stockinette st until piece measures 8 in. or desired length from lower edge. Keeping first and last 6 sts. K on the P side, work even for 6 rows. Bind off 3 sts at beginning of each of next 2 rows for underarm. Keeping first and last 3 sts K on the P side, decrease 1 st at each end after and before the 3 K sts every other row 3 times. Then work as follows: **Row 1 (wrong side)**—K 3, P 22, K 2, P 22, K 3. **Row 2 and every other row**—Knit. **Row 3**—K 3, P 21, K 4, P 21, K 3. **Row 5**—K 3, P 20, K 6, P 20, K 3. **Row 7**—K 3, P 19, K 8, P 19, K 3. On next row divide work as follows: K 24, K 2 sts tog., place on st-holder. On remaining 26 sts, K 2 tog., K across row. Keeping first and last 3 sts K on P side, decrease 1 st at neck edge, inside of border sts, every 3rd row 9 times. Work even until armhole measures 7½ in. from bound off sts at underarm. Place on st-holder. Work other side to correspond to shoulder. Place marker. Work to neck edge, cast on 20 sts for back of neck, place 16 sts from st-holder to left hand needle and work across (52 sts). Work even, knitting first and last 3 sts and center 26 sts on P side, keeping remaining sts in stockinette st for 8 rows. Then, keeping first and last 3 sts K on P side, work even in stockinette st on remaining sts until piece corresponds to back from marker to last decrease at underarm of front. Increase 1 st at each end every other row 3 times, after and before the 3 K sts. Cast on 3 sts at beginning of each of next 2 rows (64 sts). Finish to correspond to front.

Sew underarm seams.

•

CLASSIC CARDIGAN No. 4122

Size 10 to 12 yr.

1 Pr. Standard No. 1 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—8 1-oz. Balls

BACK: With No. 3 Needles cast on 113 sts. Work in ribbing of K 1, P 1, for 2 in. Discontinue ribbing and work even in stockinette st until piece measures 13 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 5¾ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows. Bind off remaining sts.

RIGHT FRONT: With No. 3 Needles cast on 63 sts. Keeping the first 8 sts worked in garter st, work in ribbing of P 1, K 1, over remaining 55 sts for 1 in.; then work first buttonhole as follows: K 3, bind off next 2 sts, work across row. Work back, casting on 2 sts over the 2 bound off sts. Repeat buttonholes every 2½ in. to neck edge, working last buttonhole in neck band. When piece measures 2 in. from lower edge, discontinue ribbing, and work in stockinette st, continuing buttonhole band, until piece measures 13 in. from lower edge. Bind off 8 sts at underarm edge once; decrease 1 st at underarm edge every other row 8 times. Work even until piece measures 4½ in. from bound off sts at underarm. Starting at neck edge, K 8, place on pin. Bind off next 5 sts, decrease 1 st at neck edge every other row 6 times. Work even until piece measures 5¾ in. from bound off sts at underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work left front to correspond, omitting buttonholes.

Sew shoulder seams.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 28 sts across shoulder. Work back and forth in stockinette st, picking up 5 sts at end of each row until 88 sts have been picked up from end to end of armhole. Work 10 rows even. Decrease 1 st at each end of next row and every 6th row thereafter to 76 sts, then every 8th row to 60 sts. Work even until piece measures 14½ in. or desired length from underarm. Change to No. 1 Needles, decreasing to 51 sts at even intervals across row. Work in ribbing of K 1, P 1, for 3 in. Bind off.

Sew underarm and sleeve seams.

NECKBAND: With No. 3 Needles, on right side of garment, pick up 79 sts from end to end of neckband, including those placed on pin. Keeping first and last 8 sts worked in garter st, work in ribbing of P 1, K 1, for 8 rows, working last buttonhole on second row. Bind off.

•

V-NECK PULLOVER No. 4123

Size 10 to 12 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—7 1-oz. Balls

BACK: With No. 2 Needles cast on 90 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 3 Needles increasing to 110 sts at even intervals across row Work even in stockinette st until piece measures 11 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm. Decrease 1 st at each end every other row 6 times. Work even until piece measures 5½ in. from underarm. Bind off 6 sts at beginning of each of next 8 rows. Change to No. 2 Needles, work in ribbing of K 2, P 2, on remaining 38 sts for 8 rows. Bind off.

FRONT: Work same as back to underarm; then work as follows: bind off 6 sts at beginning of each of next 2 rows for underarm. Work over 49 sts. Place on st-holder. On remaining 49 sts, decrease 1 st at underarm edge every other row 6 times, at the same time start decreasing 1 st at neck edge every other row 9 times, then every 4th row to 24 sts. Work even until armhole corresponds to back. Starting at shoulder edge bind off 6 sts every other row 4 times. Work other side to correspond.

FRONT NECK BAND: With No. 2 Needles, on right side of garment, pick up 68 sts from shoulder to point of V, 1 st at point of V, 68 sts from point of V to shoulder. Work in ribbing of K 2, P 2, decreasing 1 st at each side of center st, at point of V, every row for 8 rows. Bind off decreasing as described above.

Sew shoulder seams.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 26 sts across top of shoulder. Work back and forth in stockinette st, picking up 5 sts at end of each row until 86 sts have been picked up from end to end of armhole. Work 5 rows even. Decrease 1 st at each end every 6th row 6 times, then every 8th row to 60 sts. Work even until sleeve measures 15 in. or desired length from underarm. Change to No. 2 Needles, decreasing to 52 sts at even intervals across row. Work in ribbing of K 2, P 2, for 3 in. Bind off.

Sew underarm and sleeve seams.

•

CLASSIC PULLOVER No. 4124

Size 10 to 12 yr.

1 Pr. Standard No. 1 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—7 1-oz. Balls

BACK: With No. 1 Needles cast on 100 sts. Work in ribbing of K 1, P 1, for 2½ in. Change to No. 3 Needles increasing to 110 sts at even intervals across row. Work even in stockinette st until piece measures 10½ in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 5½ in. from underarm. Bind off 6 sts at beginning of each of next 8 rows. Work in ribbing of K 1, P 1, on remaining 38 sts, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 4 in. from bound off sts at underarm. Work over 30 sts, place on st-holder. Bind off next 26 sts for front of neck. On remaining 30 sts decrease 1 st at neck edge every other row 6 times. Work even until piece measures 5½ in. from bound off sts at underarm. Starting at shoulder edge, bind off 6 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 3 Needles, on right side of garment, pick up 71 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew shoulder seam.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 26 sts across shoulder. Work back and forth in stockinette st, picking up 5 sts at end of each row until 86 sts have been picked up from end to end of armhole. Work 5 rows even. Decrease 1 st at each end every 6th row 6 times, then every 8th row to 60 sts. Work even until piece measures 14½ in. or desired length from underarm. Change to No. 1 Needles decreasing to 52 sts at even intervals across row. Work in ribbing of K 1, P 1, for 3 in. Bind off.

Sew underarm and sleeve seams.

•

HEATHERTONE PULLOVER No. 4125

Size 12 to 14 yr.

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 4 Needles—14 in.

SCALE: 6 sts to 1 in.

Jack Frost Heathertone Sport Yarn—6 2-oz. Balls

BACK: With No. 2 Needles cast on 100 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles and work in pattern as follows: **Row 1**—K 4, * K the 2nd st on left hand needle, then K first st, slip both off at once, K 4, repeat from * across row. **Row 2**—Purl. **Row 3**—Knit. **Row 4**—Purl. **Row 5**—K 1, * K 2nd st on left hand needle, then K first st, slip both off at once, K 4, repeat from * across row ending K 1. **Row 6**—Purl. **Row 7**—Knit. **Row 8**—Purl. The above 8 rows form pattern. Repeat them until

(Continued on page 14)

RIBBED TWIN SET. LEFT—CARDIGAN No. 4116 RIGHT—WILLOW YARN BOX CARDIGAN No. 4118
CENTER—MATCHING PULLOVER No. 4117

PULLOVER 4125—*(Continued from page 12)*

piece measures 12 in. or desired length from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 6½ in. from underarm. Bind off 9 sts at beginning of each of next 2 rows, then 8 sts at beginning of each of next 4 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows. Bind off.

FRONT: Work same as back until piece measures 5 in. from bound off sts at underarm. Then work as follows: Work over 30 sts, place on st-holder. Bind off next 20 sts for front of neck. On remaining 30 sts, decrease 1 st at neck edge every other row 5 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 9 sts once, then 8 sts every other row twice. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 63 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

SLEEVES: With No. 2 Needles cast on 48 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles increasing to 64 sts at even intervals across row. Work in pattern, increasing 1 st at each end every 8th row to 86 sts. Work even until sleeve measures 18 in. or deesired length from lower edge. Bind off 8 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 4 times, then every 3rd row 6 times. Bind off 3 sts at beginning of each of next 10 rows. Bind off remaining sts.

Sew shoulder and underarm seams. Sew sleeve seams, sew sleeves in place.

•

RIBBED CREW NECK PULLOVER No. 4126

Size 10 to 12 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 4 Needles

Jack Frost Sport Yarn—4 2-oz. Balls

BACK: With No. 2 Needles cast on 93 sts. Work in ribbing of P 3, K 3, for 3½ in. (Right side starts and ends with P 3). Change to No. 4 Needles and work in rib pattern as follows: **Row 1 (right side)**—P 3, * K 6, P 3, repeat from * across row. **Row 2**—K 3, * P 6, K 3, repeat from * across row. The above 2 rows form pattern. Repeat them until piece measures 13 in. (10 yr.—11 in.) or desired length from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 3 times, (10 yr.—6 times). Work even on remaining sts until piece measures 6½ in. (10 yr.—6 in.) from underarm; then work as follows: work over 18 sts (10 yr.—15 sts), place on st-holder. Work over next 39 sts. Place remaining 18 sts (10 yr.—15 sts) on st-holder. Place marker. On the center 39 sts, work 4 rows even, then decrease 1 st at beginning of each of next 4 rows. Bind off remaining 35 sts loosely.

FRONT: With No. 4 Needles cast on 35 sts. Work in rib pattern to correspond to bound off row on back of neck, increasing 1 st at end of each row 4 times (39 sts). Continuing pattern, work 4 rows even, then place sts of right shoulder to left hand needle and work across to shoulder edge. Work back to left shoulder, place the sts of left shoulder to needle, and work across them. Work even in pattern until piece measures 4½ in. (10 yr.—4 in.) from marker. Increase 1 st at each end every other row 3 times (10 yr.—6 times). Cast on 6 sts at beginning of each of next 2 rows for underarm. Complete to correspond to back.

SLEEVES: With No. 2 Needles cast on 48 sts. Work in ribbing of K 3, P 3, for 3 in. Change to No. 4 Needles, K 1 row (right side) increasing to 57 sts at even intervals across row. Work in rib pattern as on back, starting with 2nd row, increasing 1 st at each end every 8th row 15 times. Work even until piece measures 17½ in. (10 yr.—16½ in.) or desired length from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work 8 rows even (10 yr.—2 rows even). Bind off 2 sts at beginning of each of next 20 rows. Bind off remaining sts. Work other sleeve to correspond.

Sew underarm and sleeve seams. Sew sleeves in place, matching seams at underarm. Turn facing under at front and back of neck and sew to wrong side of pullover.

•

V NECK SPORT SWEATER No. 4127

Size 12 to 14 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 4 Needles

SCALE: 6½ sts to 1 in.

Jack Frost Sport Yarn—5 2-oz. Balls

BACK: With No. 2 Needles cast on 96 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 4 Needles and work even in stockinette st until piece measures 10½ in. or desired length from lower edge. Bind off 5 sts at beginning of each next 2 rows for underarm. Decrease 1 st at each end every other row 3 times. Work even until piece measures 6½ in. from underarm. Bind off 8 sts at beginning of each of next 6 rows. Change to No. 2 Needles increasing to 34 sts across row. Work in ribbing of K 2, P 2, for 7 rows for neckband. Bind off.

FRONT: Work same as back to underarm. Bind off 5 sts at beginning of each of next 2 rows, then work as follows: K over 43 sts, place on st-holder. On remaining 43 sts, decrease 1 st at underarm edge every other row 3 times, at the same time, start decreasing 1 st at neck edge every other row 4 times, then every 4th row to 24 sts. Work even on remaining 24 sts until piece measures same as back to shoulder. Starting at shoulder edge, bind off 8 sts every other row 3 times. Work other side to correspond.

SLEEVES: With No. 2 Needles cast on 48 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 4 Needles, increasing to 54 sts at even intervals across row. Work even in stockinette st, increasing 1 st at each end, every 8th row 10 times. Work even on remaining 74 sts until piece measures 18 in. or desired length to underarm. Bind off 8 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 3 times, then every 3rd row 6 times. Bind off 3 sts at beginning of each of next 8 rows. Bind off remaining sts.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 62 sts from left shoulder to point of V, 1 st at point of V, and 62 sts from point of V to right shoulder. Work in ribbing of K 2, P 2, decreasing 1 st at each side of center st at point of V every row, for 7 rows. Bind off, decreasing as described above.

Sew shoulder and underarm seams. Sew sleeve seams, sew sleeves in place.

•

WILLOW YARN CARDIGAN No. 4128

Size 10 to 12 yr.

1 Pr. Standard No. 10 Needles
1 Pr. Standard No. 13 Needles—14 in. 1 Size 9 Bone Crochet Hook

SCALE: 3 sts to 1 in.

Jack Frost Willow Yarn—7 2-oz. Skeins

BACK: With No. 10 Needles cast on 36 sts. Work in ribbing of K 1, P 1, for 12 rows. Change to No. 13 Needles increasing to 40 sts at even intervals across row. Work even in stockinette st until piece measures 9½ in. from lower edge. Bind off 4 sts at beginning of each of next 2 rows. Work even until piece measures 5½ in. from underarm. Bind off 3 sts at beginning of each of next 6 rows. Bind off remaining sts.

RIGHT FRONT: With No. 10 Needles cast on 23 sts. Work in ribbing of K 1, P 1, for 12 rows. Change to No. 13 Needles and work even in stockinette st until piece measures 9½ in. from lower edge. Starting on wrong side, bind off 4 sts at beginning of next row for underarm. Decrease 1 st at underarm edge every other row 4 times. Work even until piece measures 4 in. from bound off sts at underarm. Starting at neck edge, bind off 3 sts once, decrease 1 st at neck edge every row 3 times. Work even until armhole corresponds to back. Starting at armhole edge, bind off 3 sts every other row 3 times. Work other side to correspond. Sew shoulder and underarm seams.

SLEEVES: With No. 13 Needles cast on 25 sts. Work in stockinette st increasing 1 st at each end every 4th row 3 times. Work 4 rows even. Bind off 3 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 3 times. Work even until piece measures 4½ in. from bound off sts at underarm. Bind off 6 sts at beginning of each of next 2 rows. Work 6 rows even on remaining 7 sts. Bind off. Sew edges of insert to bound off sts at top of sleeve. Sew sleeve seams. Sew sleeves in place.

POCKET: With No. 10 Needles cast on 11 sts. Work in ribbing of K 1, P 1, for 15 rows. Bind off.

Sew in place as illustrated.

CROCHET BAND: Join yarn at lower edge of right front. Work 33 s c to neck edge 3 s c in corner st, 34 s c around neck edge, 3 s c in corner st, 33 s c to lower edge of left front. Ch 1, turn. Work 1 row of s c st for st to neck edge, 3 s c in corner st, 1 row of s c around next edge st for st, 3 s c in corner st, ch 1, skip 1 st, * 1 s c each of next 4 sts, ch 1, skip 1 st, repeat from * 5 times, ending 1 s c in each of last 2 sts.

•

WILLOW YARN MOSS STITCH CARDIGAN No. 4129

Size 12 yr.

1 Pr. Standard No. 13 Needles Size 9 Bone Crochet Hook

Jack Frost Willow Yarn—7 2-oz. Skeins

BACK: Cast on 37 sts. Work in Moss st (see page 31) for 8 rows. Decrease 1 st at each end every 6th row twice; work 5 rows even. Increase 1 st at each end every 6th row to 41 sts. Work even until

(Continued on page 18)

LEFT—RAGLAN SLEEVE CARDIGAN No. 4119 RIGHT—SPEED KNIT SLEEVELESS PULLOVER No. 4121
CENTER—SLEEVELESS RIBBED PULLOVER No. 4120

TWO-NEE

No. 4143

No. 4144

No. 4148

No. 4149

No. 4151





No. 415

LE MITTENS

INSTRUCTIONS ON PAGE 28

No. 4145

No. 4146

No. 4147

No. 4150

No. 4154

No. 4153

CARDIGAN 4129—*(Continued from page 14)*

piece measures 11 in. from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm. Work even until piece measures 5½ in. from underarm. Bind off 4 sts at beginning of each of next 2 rows, then 3 sts at beginning of each of next 4 rows. Bind off remaining sts.

POCKET LINING: Cast on 8 sts. Work in stockinette st for 3 in. Place on st-holder.

LEFT FRONT: Cast on 21 sts. Work even in Moss st for 8 rows. Decrease 1 st at underarm edge every 6th row twice; work 5 rows even. Increase 1 st at underarm edge every 6th row to 23 sts. Work even until piece measures 11 in. from lower edge. Keeping front edge even, bind off 4 sts at underarm edge once; decrease 1 st at underarm edge every other row twice. Work even until piece measures 2 in. from bound off sts at underarm. Starting at armhole edge, work over 4 sts, bind off next 8 sts, work across row. Work back to bound off sts, place pocket lining from st-holder to left hand needle, and work in Moss st across row. Work even until piece measures 4 in from bound off sts at underarm. Bind off 4 sts at neck edge once; decrease 1 st at neck edge every row 3 times. Work even until armhole corresponds to back. Starting at shoulder edge bind off 4 sts once; then 3 sts every other row twice. Work other side to correspond, omitting pocket.

Sew shoulder and underarm seams. Sew pocket lining to wrong side of cardigan.

SLEEVES· Cast on 25 sts. Increase 1 st at each end every 4th row 3 times Work 6 rows even. Bind off 3 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row twice. Work 3 rows even, then decrease 1 st at each end every 4th row 3 times. Bind off 2 sts at beginning of each of next 4 rows. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

CROCHET BAND: Starting at neck edge of right front, work 39 s c to lower edge, ch 1, turn, work 1 s c in each of first 8 sts, * ch 2, skip 1 st, 1 s c in each of next 3 sts, ch 2, skip 1 st, 1 s c in each of next 8 sts,repeat from * once, ch 2, skip 1 st, 1 s c in each of next 3 sts, ch 2, skip 1 st, 3 s c in corner st, 27 s c around neck edge, 3 s c in corner st, 39 s c down left front edge. Fasten off.

•

SLEEVELESS CREW NECK PULLOVER No. 4130

Size 12 to 14 yr.

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles Double Pointed Needle

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—5 1-oz. Balls

BACK: With No 2 Needles cast on 90 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles and K 1 row increasing to 102 sts at even intervals across row. Work in pattern as follows: **Row 1 (wrong side)**—K 5, * P 4, K 4, repeat from * across row ending K 5. **Row 2**—Knit. **Row 3**—Repeat Row 1. **Row 4**—Knit. **Row 5**—Repeat Row 1. **Row 6**—Knit. **Row 7**—Repeat Row 1. **Row 8**—Knit, working a cable st over the stockinette st ribs of K 4 as follows: slip first 2 sts onto double pointed needle, hold in back of work. K the next 2 sts, then bring the slipped sts forward, and K them. **Row 9**—Repeat Row 1. **Row 10**—Knit. **Row 11**—Repeat Row 1. **Row 12**—Knit. **Row 13**—Repeat Row 1. **Row 14**—Knit. **Row 15**—K 1, * P 4, K 4, repeat from * across row ending K 1. **Row 16**—Knit. **Row 17**—Repeat Row 15. **Row 18**—Knit. **Row 19**—Repeat Row 15. **Row 20**—Knit. **Row 21**—Repeat Row 15. **Row 22**—Knit, working a cable twist over the stockinette ribs of K 4 across the row. **Row 23**—Repeat Row 15. **Row 24**—Knit. **Row 25**—Repeat Row 15. **Row 26**—Knit. **Row 27**—Repeat Row 15. **Row 28**—Knit. Above 28 rows form pattern. Repeat them throughout garment. Work even until piece measures 9½ in or desired length from lower edge. Bind off 5 sts at beginning of each of next 4 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 8 in. from underarm. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 2 Needles increasing to 40 sts at even intervals across row Work in ribbing of K 1, P 1, for 8 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 5½ in. from first bound off sts at underarm. Then work as follows: work over 24 sts, bind off next 22 sts for front of neck, on remaining 24 sts decrease 1 st at neck edge every other row 6 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 6 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 78 sts from shoulder to shoulder Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder seams.

ARMHOLE BANDS· With No. 2 Needles, on right side of garment, pick up 138 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 8 rows. Bind off. Sew underarm seams.

CREW NECK PULLOVER No. 4131

Size 10 yr. (size 12 in parenthesis)

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles

SCALE: 6 sts to 1 in.

Jack Frost Knitting Worsted—4 4-oz. Hanks

BACK: With No. 2 Needles cast on 84 sts (12 yr.—88). Work in ribbing of K 2, P 2, for 3 in. Change to No. 4 Needles and work even in stockinette st until piece measures 12 in. (12 yr.—13 in.) or desired length to underarm. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 6½ in. (12 yr.—7 in.) or desired length from underarm to shoulder. K 18 (12 yr.—20), place on st-holder. K 32, place remaining sts on st-holder. On center 32 sts, work 3 rows even, then decrease 1 st at beginning of each of next 4 rows. Bind off loosely

FRONT: With No. 4 Needles cast on 28 sts. Working in stockinette st, increase 1 st at beginning of each of next 4 rows. Work 2 rows even. Slip the shoulder sts from st-holder to needle, with the 32 facing sts in center. Work even in stockinette st until armhole measures same as back. Increase 1 st at each end every other row 4 times, cast on 4 sts at beginning of each of next 2 rows. Complete to correspond to back.

SLEEVES: With No. 4 Needles, on right side of garment, pick up 20 sts across top of shoulder. Work back and forth in stockinette st picking up 2 sts at end of each row until 72 sts (12 yr.—80) have been picked up from end to end of armhole. Work 6 rows even. Decrease 1 st at each end on next and every 6th row 14 times. Work even until sleeve measures 15 in. (12 yr.—16 in.) or desired length. Change to No. 2 Needles, decreasing to 40 sts (12 yr.—48) at even intervals across row. K 2, P 2, for 3 in. Bind off.

Sew underarm and sleeve seams. Turn facing under at front and back of neck and sew to wrong side.

•

FINGERING YARN SLEEVELESS PULLOVER No. 4132

Size 10 to 12 yr.

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—5 1-oz. Balls

BACK: With No. 2 Needles cast on 90 sts. Work in ribbing of K 2, P 2, for 3 in. Change to No. 4 Needles and K 1 row increasing to 100 sts at even intervals across row. Work even in stockinette st until piece measures 9½ in. from lower edge. Bind off 5 sts at beginning of each of next 4 rows; decrease 1 st at each end every other row 5 times. Work even until piece measures 7 in. from first bound off sts at underarm, or desired length. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 2 Needles; work in ribbing of K 2, P 2, on remaining 34 sts for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 5 in. from underarm. Work over 25 sts. Place on st-holder. Bind off next 20 sts for front of neck. On remaining 25 sts decrease 1 st at neck edge every other row 7 times. Work even until piece measures 7 in. from first bound off sts at underarm. Starting at shoulder edge, bind off 6 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 66 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 7 rows. Bind off.

Sew shoulder seams.

ARMHOLE BAND: With No. 2 Needles, on right side of garment, pick up 134 sts from end to end of armhole. Work in ribbing of K 2, P 2, for 7 rows. Bind off.

Sew underarm seams.

•

CABLE STITCH SLEEVELESS PULLOVER No. 4133

Size 12 to 14 yr.

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles Double Pointed Needle

Jack Frost Fingering Fleece—4 1-oz. Balls

FRONT. With No. 2 Needles cast on 88 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles and work in pattern as follows: **Row 1 (right side)**—K 15, * P 2, K 6, P 2, K 14, repeat from * once, ending P 2, K 6, P 2, K 15. **Row 2**—P 15, * K 2, P 6, K 2, P 14, repeat from * once, ending K 2, P 6, K 2, P 15. The above 2 rows form pattern. Repeat them, working a cable twist over the ribs of K 6 on the 5th and every 10th row thereafter, as follows: slip the first 3 sts onto double pointed needle, hold in back of work, K the next 3 sts then bring the 3 sts which were slipped, forward, and K them. Repeat cable twist over the ribs of K 6 acrosss row. When piece measures 10 in., or desired length

(Continued on page 20)

LEFT—CLASSIC CARDIGAN No. 4122 RIGHT—CLASSIC PULLOVER No. 4124

CENTER—V NECK PULLOVER No. 4123

PULLOVER 4133—*(Continued from page 18)*

from lower edge, bind off 5 sts at beginning of each of next 2 rows for underarm, then 3 sts at beginning of each of next 4 rows. Keeping armhole edge even, start decreasing at neck edge as follows: work over 33 sts, place on st-holder. On remaining 33 sts, work 2 rows even. Decrease 1 st at neck edge every 4th row 15 times. Work even on remaining 18 sts until piece measures 8½ in. from first bound off sts at underarm. Starting at shoulder edge bind off 6 sts every other row 3 times. Work other side to correspond.

BACK: Work same as front to last bound off sts at underarm. Work even on remaining 66 sts until piece measures 8½ in. from first bound off sts at underarm. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 8 rows for neckband. Bind off.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up and K 69 sts from shoulder to point of V, 1 st at point of V, and 69 sts on other side to shoulder. Work in ribbing of K 1, P 1, decreasing 1 st at each side of st at point of V on every row, for 8 rows. Bind off, decreasing on bound off row.
Sew shoulder seams.

ARMHOLE BAND: With No. 2 Needles, on right side of garment, pick up 136 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 8 rows. Bind off.
Sew under arm seams.

•

CLASSIC BLOUSE No. 4134

Size 10 to 12 yr.

1 Pr. Standard No. 1 Needles
1 Pr. Standard No. 3 Needles Size 3 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—5 1-oz. Balls

BACK: With No. 1 Needles cast on 100 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 3 Needles, increasing to 110 sts at even intervals across row. Work even in stockinette st until piece measures 9½ in. or desired length from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 5½ in. from underarm. Bind off 6 sts at beginning of each of next 2 rows, then 7 sts at beginning of each of next 6 rows. Bind off remainiing sts.

POCKET LINING: With No. 3 Needles cast on 23 sts. Work in stockinette st for 2¼ in., ending with a K row. Place on st-holder.

FRONT: Work same as back to last bound off sts at underarm. Then work as follows: on wrong side of garment, P over 43 sts. Place on st-holder. On remaining 43 sts, P across row. Next row, K 7, bind off next 23 sts for pocket opening, K across row. Next row, P 13, place 23 sts of pocket lining to left hand needle, and P them. P last 7 sts. On next row, K 40, Y O, K 2 tog. for buttonhole, K 1. Repeat buttonholes at front edge every 8th row 3 times. When piece measures 4 in. from bound off sts at underarm, bind off 10 sts at neck edge once; decrease 1 st at neck edge every other row 6 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 6 sts once, then 7 sts every other row 3 times. Work other side to correspond, omitting pocket.
Sew underarm and shoulder seams.

SLEEVES: With No. 1 Needles cast on 72 sts. Work in ribbing of K 2, P 2, for 1½ in. Change to No. 3 Needles, increasing to 78 sts at even intervals across row. Work in stockinette st, increasing 1 st at each end every 4th row to 86 sts. Work even until sleeve measures 4 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 6 times. Bind off 3 sts at beginning of every row to 20 sts. Bind off.
Sew sleeve seams. Sew Sleeves in place.
Work 1 row of s c around front opening.

COLLAR: With No. 3 Needles, on wrong side of garment, pick up 32 sts across back of neck. Work back and forth in stockinette st, picking up 5 sts at end of each row until 92 sts have been picked up from end to end of neckband. Keeping first and last 3 sts worked in garter st, and remaining sts in stockinette st, increase 1 st at each end after and before the 3 K sts every other row 10 times. K 6 rows even. Bind off.

•

MOSS STITCH BLOUSE No. 4135

Size 12 to 14 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—6 1-oz. Balls

BACK: With No. 2 Needles cast on 100 sts. Work in ribbing of K 1, P 1, for 2¾ in. Change to No. 3 Needles, increasing to 109 sts at even intervals across row. Work even in Moss st (see page 31), until piece measures 9½ in. or desired length from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 5½ in. from underarm. Bind off 6 sts at beginning of each of next 2 rows, then 7 sts at beginning of each of next 6 rows. Change to No. 2 Needles, increasing to 35 sts at even intervals across row. Work in ribbing of K 1, P 1, for 8 rows for neckband. Bind off.

RIGHT FRONT: With No. 2 Needles cast on 61 sts. Work in ribbing of K 1, P 1, working a buttonhole 1 in. from lower edge as follows: K 1, P 1, over first 4 sts. Bind off next 3 sts. Work across row. Work back, casting on 3 sts over the 3 bound off sts. Repeat buttonholes every 2¾ in. to neck edge, working last buttonhole in neckband. When ribbing measures 2¾ in. change to No. 3 Needles. Work in Moss st, keeping first 11 sts worked in ribbing of K 1, P 1, for buttonhole band, until piece measures 9½ in. from lower edge. Bind off 6 sts at underarm edge once; decrease 1 st at underarm edge every other row 6 times. Work even until piece measures 4 in. from bound off sts at underarm. Work over 11 sts for buttonhole band, place on pin. Bind off 2 sts at neck edge every other row 4 times; decrease 1 st at neck edge every other row 3 times. Work even until armhole corresponds to back. Bind off 6 sts at armhole edge once, then 7 sts every other row 3 times. Work other side to correspond, omitting buttonholes.
Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 72 sts. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 3 Needles increasing to 79 sts at even intervals across row. Work in Moss st, increasing 1 st at each end every 4th row to 87 sts. Work even until sleeve measures 4 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows, decrease 1 st at each end every other row 6 times. Bind off 3 sts at beginning of every row to 21 sts. Bind off.
Sew sleeve seams. Sew sleeves in place.

NECKBAND: With No. 2 Needles, on right side of garment, pick up 101 sts from end to end of neckband, including sts which were placed on pin. Work in ribbing of K 1, P 1, for 7 rows, working last buttonhole on 2nd row. Bind off.

•

RIB BLOUSE No. 4136

Size 10 to 12 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles Double Pointed Needle

Jack Frost Fingering Fleece—5 1-oz. Balls

BACK: With No. 2 Needles cast on 90 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 3 Needles and P 1 row increasing to 112 sts at even intervals across row. Then work as follows: **Row 1 (right side)**—K 3, * P 6, K 4, repeat from * across row ending K 3. **Row 2**—P 3, * K 6, P 4, repeat from * across row ending P 3. Repeat above 2 rows until piece measures 9½ in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 2½ in. from underarm, ending on wrong side. On next row, work a cable twist over the ribs of K 4 as follows: slip the first 2 sts to double pointed needle, hold in back of work. K the next 2 sts, then bring the 2 sts which were slipped, forward, and K them. Repeat cables every 10th row to neck edge. When piece measures 5½ in. from bound off sts at underarm, bind off 8 sts at beginning of each of next 6 rows. Change to No. 2 Needles, and work in ribbing of K 1, P 1, for neckband for 7 rows. Bind off.

FRONT: Work same as back until piece measures 2 in. from bound off sts at underarm, ending on wrong side. Work a cable twist over the ribs of K 4 on the next row and every 10th row to shoulder. When piece measures 3½ in. from bound off sts at underarm, work over 29 sts. Place on st-holder. Bind off next 28 sts for front of neck. On remaining 29 sts, work 2 rows even. Decrease 1 st at neck edge every other row 5 times. Work even until armhole corresponds to back. Starting at armhole edge, bind off 8 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 78 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 68 sts. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 3 Needles and P 1 row increasing to 82 sts at even intervals across row. Work in rib pattern as on back, increasing 1 st at each end every 6th row 3 times. Work even until piece measures 4 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 8 times. Work 6 rows even. Bind off 2 sts at beginning of each of next 20 rows. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

LEFT—HEATHERTONE PULLOVER No. 4125 RIGHT—V NECK SPORT SWEATER No. 4127
CENTER—RIBBED CREW NECK PULLOVER No. 4126

WILLOW YARN BOX CARDIGAN No. 4137

Size 12 to 14 yr.

1 Pr. Standard No. 13 Needles
Size 9 Bone Crochet Hook Double Pointed Needle

Jack Frost Willow Yarn—8 2-oz. Skeins

BACK: Cast on 47 sts. Work in pattern as follows: **Row 1**—P 2, * K 3, P 2, repeat from * across row. **Row 2**—K 2, * P 3, K 2, repeat from * across row. Above 2 rows form pattern. Repeat them until piece measures 12½ in. or desired length to underarm. Bind off 3 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row twice. Work even until piece measures 5½ in. from underarm. Bind off 3 sts at beginning of each of next 2 rows; then 4 sts at beginning of each of next 4 rows. Bind off remaining sts.

POCKET LINING: Cast on 13 sts. Work in pattern as follows: **Row 1 (right side)**—K 3, * P 2, K 3, repeat from * once. **Row 2**—P 3, * K 2, P 3, repeat from * once. Repeat above 2 rows for 21 rows. Place on st-holder.

LEFT FRONT: Cast on 27 sts. Work in pattern as follows: **Row 1 (right side)**—P 2, * K 3, P 2, repeat from * 3 times, ending K 4, P 1. **Row 2**—K 1, P 4, K 2, * P 3, K 2, repeat from * across row. Above 2 rows form pattern. Repeat them, working a cable twist over the rib of K 4 on the 5th and every 6th row to neck edge as follows: slip first 2 sts onto double pointed needle, hold in back of work. K next 2 sts, then bring the 2 sts which were slipped, forward, and K them. When 20 rows have been worked from lower edge, bind off for pocket opening as follows: starting at underarm edge, work over 7 sts, bind off next 13 sts for pocket opening, work across row. Work back to bound off sts, slip 13 sts of pocket lining from st-holder to left hand needle, and work across row, being sure that pattern matches. Continuing pattern, work even until piece measures 12½ in. from lower edge. Bind off 3 sts at underarm edge once; decrease 1 st at underarm edge every other row twice. Work even until piece measures 4 in. from bound off sts at underarm. Keeping armhole edge even, bind off 5 sts at neck edge once; decrease 1 st at neck edge every row 6 times. Work even until piece measures 5½ in. from bound off sts at underarm. Bind off 3 sts at shoulder edge once, then 4 sts every other row twice. Work other side to correspond.

Sew shoulder and underarm seams.

SLEEVES: Cast on 27 sts. Work in pattern as given for back, increasing 1 st at each end every 4th row 3 times. Work 6 rows even. Bind off 3 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row twice, then every 4th row 3 times. Bind off 2 sts at beginning of each of next 4 rows. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place. Sew pocket lining to wrong side.

CROCHET BAND: Starting at neck edge of right front, work 40 s c to lower edge, ch 1, turn. Work 1 s c in each of first 4 sts, * ch 2, skip 1 st, work 1 s c in each of next 6 sts, repeat from * 4 times, ch 2, skip 1 st, work 3 s c in corner st, 1 row of s c around neck edge, 40 s c down left front edge. Fasten off.

•

WILLOW YARN BASQUE No. 4138

Size 10 to 12 yr.

1 Pr. Standard No. 13 Needles Size 9 Bone Crochet Hook

Jack Frost Willow Yarn—5 2-oz. Skeins

BACK: Cast on 31 sts. Work in pattern as follows: **Row 1**—P 3, * K 1, P 3, repeat from * across row. **Row 2**—K 3, * P 1, K 3, repeat from * across row. Above 2 rows form pattern. Repeat them, increasing 1 st at each end on the 6th row and every 4th row thereafter to 43 sts. Work even until piece measures 7 in. from lower edge. Bind off 3 sts at beginning of each of next 2 rows for underearm. Decrease 1 st at each end every other row 3 times. Work even until piece measures 6½ in. from underarm. Bind off 3 sts at beginning of each of next 6 rows. Bind off remaining sts.

LEFT FRONT: Cast on 19 sts. Keeping front edge even, work in pattern, increasing 1 st at underarm edge on the 6th row and every 4th row thereafter to 25 sts. Work even until piece measures 7 in. from lower edge. Bind off 3 sts at underarm edge once; decrease 1 st at underarm edge every other row 3 times. Keeping armhole edge even, bind off 6 sts at neck edge on next row; decrease 1 st at neck edge every other row 4 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 3 sts every other row 3 times. Work other side to correspond.

Sew shoulder and underarm seams.

FINISHING: Starting at neck edge of left front, work 22 s c to lower edge, ch 1, turn, work 22 s c to neck edge. Fasten off. Starting at lower edge of right front, work 22 s c to neck edge, ch 1, turn, work 1 s c in each of first 3 sts, * ch 2, skip 1 st, work 1 s c in each of next 4 sts, repeat from * 3 times, ch 2, skip 1 st, work 1 s c in each st to lower edge. Fasten off. **Armhole**—Work 36 s c around armhole ending with a slip st in first st made, then work 1 row of half shell sts as follows: ch 2, 2 d c in the slip st just made, * skip 2 sts, work 1 s c in 3rd st from hook, ch 2, 2 d c in same st as last s c, repeat from * around armhole. Fasten off. **Neckband**—Starting at front edge of right front, work 54 s c around entire neck edge. Work 1 row of half shell sts as described for armhole edges. Make a chain desired length and draw through shell sts at neck edge.

•

TURTLE-NECK PULLOVER No. 4139

Size 10 to 12 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 3 Needles Double Pointed Needle

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—7 1-oz. Balls

BACK: With No. 2 Needles, cast on 98 sts. Work in ribbing of K 2, P 2, for 3 in. Change to No. 3 Needles increasing to 107 sts at even intervals across row. Work even in stockinette st until piece measures 11 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures 5 in. from underarm. Bind off 6 sts at beginning of each of next 2 rows, then 7 sts at beginning of each of next 6 rows. Change to No. 2 Needles, increasing to 38 sts at even intervals across row. Work in ribbing of K 2, P 2, for 2¼ in. for turtle-neck band. Bind off.

FRONT: With No. 2 Needles cast on 98 sts. Work in ribbing of K 2, P 2, for 3 in. Change to No. 3 Needles and K 1 row increasing to 112 sts at even intervals across row. Then work as follows: **Row 1 (wrong side)**—P 20, K 2, P 2, K 1, P 2, K 1, P 2, K 2, P 48, K 2, P 2, K 1, P 2, K 1, P 2, K 2, P 20. **Row 2**—K 20, P 2, K 2, P 1, K 2, P 1, K 2, P 2, K 48, P 2, K 2, P 1, K 2, P 1, K 2, P 2, K 20, **Row 3**—Repeat Row 1. **Row 4**—K 20, P 2, * slip next 3 sts to double pointed needle, hold in back of work. K next 2 sts, slip the P st from double pointed needle to left hand needle, and P it. K the 2 sts from double pointed needle, P 1, K 2, * P 2, K 48, P 2, repeat between *'s, ending P 2 K 20. **Row 5**—Repeat Row 1. **Row 6**—Repeat Row 2. **Row 7**—Repeat Row 1. **Row 8**—K 20, P 2, * K 2, P 1, slip next 3 sts to double pointed needle, hold in front of work, K next 2 sts, slip the P st from double pointed needle to left hand needle, and P it. Then K the 2 sts from double pointed needle, * P 2, K 48, P 2, repeat between *'s, ending P 2, K 20. The above 8 rows form pattern. Repeat cable stripe to shoulder edge. When piece measures 11 in. from lower edge, bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 4 in. from bound off sts at underarm. Work over 33 sts, place on st-holder. Bind off next 20 sts for front of neck. On remaining 33 sts, decrease 1 st at neck edge every other row 6 times. Work even until armhole corresponds to back. Starting at shoulder edge bind off 6 sts once, then 7 sts every other row 3 times. Work other side to correspond.

FRONT TURTLE-NECK BAND: With No. 2 Needles, on right side of garment, pick up 74 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 2¼ in. Bind off loosely.

Sew shoulder and turtle-neck seams.

SLEEVES: With No. 3 Needles, on right side of garment, pick up 26 sts across top of shoulder. Work back and forth in stockinette st, picking up 5 sts at end of each row until 86 sts have been picked up from end to end of armhole. Work 5 rows even; decrease 1 st at each end every 6th row 6 times, then every 8th row to 60 sts. Work even until sleeve measures 14 in. or desired length to cuff. Change to No. 2 Needles, decreasing to 48 sts at even intervals across row. Work in ribbing of K 2, P 2, for 3 in. Bind off.

Sew underarm and sleeve seams.

•

CABLE STITCH PULLOVER No. 4140

Size 8 to 10 yr.

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 4 Needles
Double Pointed Needle Size 5

Jack Frost Fingering Fleece—7 1-oz. Balls

BACK: With No. 2 Needles cast on 102 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 4 Needles and work in pattern

(Continued on page 24)



LEFT—WILLOW YARN CARDIGAN No. 4128 RIGHT—SLEEVELESS CREW NECK PULLOVER No. 4130
CENTER—WILLOW YARN MOSS STITCH CARDIGAN No. 4129

PULLOVER 4140—*(Continued from page 22)*

as follows: **Row 1 (right side)**—* K 2, P 2, K 4, P 2, repeat from * across row ending K 2. **Row 2**—* P 2, K 2, P 4, K 2, repeat from * across row ending P 2. Repeat above 2 rows, working a cable twist over the ribs of K 4 on the 3rd and every 6th row thereafter, as follows: slip the first 2 sts to double pointed needle, hold in back of work. K the next 2 sts, then bring the 2 sts which were slipped, forward, and K them. Work even as described above until piece measures 10 in. from lower edge, or desired length. Bind off 5 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures 5¼ in. from underarm. Bind off 8 sts at beginning of each of next 2 rows, then 9 sts at beginning of each of next 4 rows. Change to No. 2 Needles, increasing to 38 sts at even intervals across row. Work in ribbing of K 2, P 2, for 7 rows for neckband. Bind off.

FRONT: Work same as back to underarm. Then divide work as follows: work over 51 sts. Place on st-holder. On remaining 51 sts, bind off 5 sts at underarm edge once, then decrease 1 st at underarm edge every other row 5 times; at the same time, decrease 1 st at neck edge every 3rd row 15 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 8 sts once, then 9 sts every other row twice. Work other side to correspond.

FRONT NECKBAND: On right side of garment, with No. 2 Needles, pick up 60 sts from shoulder to point of V, 1 st at point of V, and 60 sts on other side to shoulder. Work in ribbing of K 2, P 2, decreasing 1 st on each side of st at point of V, every row for 7 rows. Bind off, decreasing as described above.

SLEEVES: With No. 2 Needles cast on 54 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 4 Needles, increasing to 62 sts at even intervals across row. Work 10 rows even. Increase 1 st at each end of next row and every 8th row thereafter, 7 times. (76 sts). Work even until sleeve measures 14 in. or desired length from lower edge. Bind off 5 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 5 times. Bind off 2 sts at beginning of each of next 20 rows. Bind off remaining sts

Sew shoulder and underarm seams. Sew sleeve seams and sew sleeves in place.

•

SPORT SHIRT No. 4141

Size 8 to 10 yr.

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles Size 3 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—3 1-oz. Balls—Robin Blue

1 1-oz. Ball—Navy 1 1-oz. Ball—Red

BACK: With No. 2 Needles and Robin Blue (RB), cast on 88 sts. Work in ribbing of K 1, P 1, for 2½ in. Change to No. 4 Needles. Work even in stockinette st as follows: 2 rows Navy (N), 6 rows RB, * 2 rows Red (R), 4 rows RB, 2 rows N, 2 rows R, 2 rows N, 8 rows RB, repeat from * throughout garment for stripes. When piece measures 9½ in. from lower edge, bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 5½ in. from underarm. Bind off 8 sts at beginning of each of next 6 rows. Bind off remaining sts for back of neck.

FRONT: Work same as back until piece measures 1¼ in. from bound off sts at underarm, then work as follows: work over 36 sts. Place on st-holder. On remaining 36 sts work even until piece measures 4½ in. from bound off sts at underarm. Bind off 9 sts at neck edge once, then decrease 1 st at neck edge every other row 3 times. Work even until armhole corresponds to back (discontinuing stripes after neck edge has been bound off). Starting at shoulder edge bind off 8 sts every other row 3 times. Work other side to correspond.

Sew shoulder and underarm seams.

SLEEVES: With No. 4 Needles and RB, cast on 72 sts. Work even in stockinette st for 8 rows. P 1 row on right side. Work even in stockinette st for 8 rows. Work in stripe pattern as given for blouse, starting from * (2 rows R, etc.), until piece measures 3 in. from P row on right side (ending with 2 rows R). Bind off 4 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 4 times, then every 4th row 6 times. Bind off 2 sts at beginning of each of next 10 rows. Bind off remaining sts. Sew sleeve seams. Sew sleeves in place, matching stripes. Turn sleeve under on P row for hem.

COLLAR: With No. 4 Needles, on wrong side of garment, pick up 24 sts across back of neck. Work even in stockinette st, picking up 4 sts at end of each row until 76 sts have been picked up from end to end of neck band. Continuing stockinette st, increase 1 st at each end every other row 9 times. Bind off. Work 1 row s c around edge of collar and down front opening, working loops for buttonholes on right side as illustrated.

•

TURTLE-NECK PULLOVER No. 4142

Size 8 to 10 yr.

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles

SCALE: 6½ sts to 1 in.

Jack Frost Sport Yarn—4 2-oz. Balls

BACK: With No. 2 Needles cast on 94 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 4 Needles and work even in stockinette st until piece measures 9½ in. or desired length from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 3 times. Work even until piece measures 5½ in. from underarm. Bind off 7 sts at beginning of each of next 2 rows, then 8 sts at beginning of each of next 4 rows. Change to No. 2 Needles, increasing to 46 sts at even intervals across row. Work in ribbing of K 2, P 2, for 3½ in. for turtle-neck band. Bind off.

FRONT: Work same as back until piece measures 4½ in. from bound off sts at underarm. Then work as follows: work over 30 sts, place on st-holder. Bind off next 20 sts for front of neck. On remaining 30 sts, decrease 1 st at neck edge every other row 7 times. Work even until armhole corresponds to back. Bind off 7 sts at shoulder edge once, then 8 sts every other row twice. Work other side to correspond.

FRONT TURTLE-NECK BAND: With No. 2 Needles, on right side of garment, pick up 62 sts from shoulder to shoulder. Work to correspond to back.

Sew shoulder and turtle-neck seams.

SLEEVES: With No. 4 Needles, on right side of garment pick up 20 sts across shoulder. Work back and forth in stockinette st, picking up 5 sts at end of each row until 76 sts have been picked up from end to end of armhole. Work 5 rows even. Decrease 1 st at each end of next row and every 6th row to 60 sts, then every 4th row to 56 sts. Work even until sleeve measures 12 in. or desired length to cuff. Change to No. 2 Needles and K 1 row, decreasing to 48 sts at even intervals across row. Work in ribbing of K 2, P 2, for 3 in. Bind off. Sew underarm and sleeve seams.

LEFT—CREW NECK PULLOVER No. 4131 RIGHT—CABLE STITCH PULLOVER No. 4133
CENTER—FINGERING YARN SLEEVELESS PULLOVER No. 4132

LEFT—CLASSIC BLOUSE No. 4134

CENTER—MOSS STITCH BLOUSE No. 4135

RIGHT—RIB BLOUSE No. 4136

LEFT—WILLOW YARN BOX CARDIGAN No. 4137 RIGHT—TURTLE NECK PULLOVER No. 4139
CENTER—WILLOW YARN BASQUE No. 4138

TWO—NEEDLE MITTENS

SPEED-KNIT MITTENS No. 4143

Sizes 8 to 10 — 10 to 12 — 12 to 14 yrs.

1 Pr. Standard No. 10 Needles

Jack Frost Willow Yarn—2 2-oz. Skeins

or

Jack Frost Knitting Worsted—1 4-oz. Skein

RIGHT MITTEN: With Willow Yarn or double strands of Knitting Worsted, cast on 21 sts (size 10 to 12, 21 sts—12 to 14, 23 sts). Work in ribbing of K 1, P 1, for 3 in. K 1 row, P 1 row, for 4 rows, then start thumb gusset as follows: K 9 (size 10 to 12, K 9—12 to 14, K 10); increase 1 st in next st, K 1, increase 1 st in next st, K 9 (size 10 to 12, K 9—12 to 14, K 10). P 1 row. On the next row, increase as follows: K 9 (size 10 to 12, K 9—12 to 14, K 10); increase 1 st in next st, K 3, increase 1 st in next st, K 9 (size 10 to 12, K 9—12 to 14, K 10). P 1 row. Continue increasing in the above manner, having 2 more sts between increases in thumb gusset every other row until there are 5 sts between increases (size 10 to 12, 5 sts—12 to 14, 7 sts). P 1 row after last increased row, then separate thumb from remainder of mitten as follows: K 10 (size 10 to 12, K 10—12 to 14, K 11); place on st-holder. K 7 (size 10 to 12, K 7—12 to 14, K 9). Place remaining sts on second st-holder. Work back and forth in stockinette st on the thumb sts for 5 rows (size 10 to 12, 6 rows—12 to 14, 7 rows), then decrease as follows: **Row 1**—K 1, * K 2 tog., K 1; repeat from * across row (size 10 to 12, P 1, * P 2 tog., P 1; repeat from * across row—12 to 14, * K 1, K 2 tog.; repeat from * across row). **Row 2**—P 1; P 2 tog. twice (size 10 to 12, K 1; K 2 tog. twice—12 to 14, P 2 tog. 3 times). Draw remaining sts tog. and fasten off. Sew thumb seam.

Place sts from first st-holder to Needle; attach yarn and pick up 1 st at base of thumb (size 10 to 12, 2 sts—12 to 14, 2 sts); place remaining sts from 2nd st-holder to left hand Needle and K them. Work even in stockinette st until piece measures 3 in. from base of thumb (size 10 to 12, 3¼ in.—size 12 to 14, 3½ in.). Decrease as follows: **Row 1** (right side—* K 1, K 2 tog.; repeat from * across row (size 10 to 12, end with K 1). **Row 2**—Purl. **Row 3**—K 2 tog., * K 1, K 2 tog.; repeat from * across row (size 10 to 12, end with K 1). **Row 4**—Purl. **Row 5**—K 1; K 2 tog. across row (size 10 to 12, K 2 tog. across row). Draw remaining sts tog. and fasten off. Sew side seams.

LEFT MITTEN: Work as given for right mitten.

•

CABLE-BACK MITTENS No. 4144

Sizes 8 to 10 — 10 to 12 — 12 to 14 yrs.

1 Pr. Standard No. 7 Needles for size 8 to 10
1 Pr. Standard No. 8 Needles for size 10 to 12
1 Pr. Standard No. 10 Needles for size 12 to 14
Double pointed Needle

Jack Frost Willow Yarn—2 2-oz. Skeins

or

Jack Frost Knitting Worsted—1 4-oz. Skein

RIGHT MITTEN: With Willow Yarn or double strands of Knitting Worsted, cast on 30 sts. Work as follows: **Row 1**—K 3, P 2, K 6, P 2, K 4; P 1, K 1, over remaining 13 sts. **Row 2**—K 1, P 1, over the first 13 sts; P 4, K 2, P 6, K 2, P 3. Repeat above 2 rows working a cable twist over the rib of K 6, on the 5th and every 6th row thereafter to tip of mitten as follows: slip the first 3 sts onto D P N (double pointed Needle), hold in back of work, K the next 3 sts, then bring the 3 slipped sts forward and K them. When piece measures 3 in. from lower edge, continuing cable twist, work as follows: **Row 1**—K 3, P 2, K 6, P 2, K 17. **Row 2**—P 17, K 2, P 6, K 2, P 3. Repeat above 2 rows once (4 rows in all), then start thumb gusset as follows: **Row 1**—K 3, P 2, K 6, P 2, K 2, increase 1 st in each of next 2 sts, K 13. **Row 2**—P 19, K 2, P 6, K 2, P 3. **Row 3**—K 3, P 2, K 6, P 2, K 2, increase 1 st in next st, K 2, increase 1 st in next st, K 13. **Row 4**—P 21, K 2, P 6, K 2, P 3. **Row 5**—K 3, P 2, K 6, P 2, K 2, increase 1 st in next st, K 4, increase 1 st in next st, K 13. **Row 6**—P 23, K 2, P 6, K 2, P 3. **Row 7**—K 3, P 2, K 6, P 2, K 2, increase 1 st in next st, K 6, increase 1 st in next st, K 13. **Row 8**—P 25, K 2, P 6, K 2, P 3. **Row 9**—K 3, P 2, K 6, P 2, K 2; place the 15 sts just worked on a st-holder. K the next 10 sts for thumb. Place remaining 13 sts on 2nd st-holder. P 1 row, K 1 row, over the 10 thumb sts for 9 rows. K 2 tog. 5 times. Draw remaining sts tog. and fasten off. Sew thumb seam. Place the sts from first st-holder to Needle. Attach yarn and pick up 2 sts at base of thumb. Place remaining sts from 2nd st-holder to left hand Needle and work across row. Work back and forth in pattern until piece measures 3 in. from base of thumb (size 10 to 12, 3¼ in.—12 to 14, 3½ in.). Decrease as follows: **Row 1**—K 1, K 2 tog., P 2, K 2 tog., K 1, K 2 tog., K 1, P 2, K 2, * K 2 tog., K 1; repeat from * across row. **Row 2**—P 12, K 2, P 4, K 2, P 2. **Row 3**—K 2, P 2 tog., K 2, K 2 tog., P 2, * K 2 tog., K 2; repeat from * across row. **Row 4**—P 9, K 2, P 3, K 1, P 2. **Row 5**—K 1; K 2 tog. across row ending K 2. **Row 6**—P 1; K 2 tog. across row. Draw remaining sts tog. and fasten off. Sew side seams.

LEFT MITTEN: Work as given for right mitten in reverse as follows: **Row 1**—P 1 K 1, over 13 sts, K 4, P 2, K 6, P 2, K 3. **Row 2**—P 3, K 2, P 6, K 2, P 4; K 1, P 1, over remaining 13 sts. Repeat above 2 rows working a cable twist over the rib of K 6, as given for right mitten. Continue working in reverse to correspond to right mitten.

•

CLASSIC MITTENS No. 4145

Size 1 to 2 yrs.

1 Pr. Standard No. 4 Needles
No. 4 White Crochet Hook

Jack Frost Knitting Worsted—2-oz.

RIGHT MITTEN: Cast on 27 sts. Work in ribbing of K 1, P 1, for 12 rows. Work beading for draw-string as follows: * K 2 tog., Y O; repeat from * across row ending K 1. Work in ribbing of P 1, K 1, for 4 rows. K 1 row, P 1 row, then start gusset for thumb on next row as follows: **Row 1**—K 12, increase 1 st in next st, K 1, increase 1 st in next st, K 12. **Row 2**—Purl. **Row 3**—K 12, increase 1 st in next st, K 3, increase 1 st in next st, K 12. **Row 4**—Purl. **Row 5**—K 12, increase 1 st in next st, K 5, increase 1 st in next st, K 12. **Row 6**—Purl. **Row 7**—K 12, increase 1 st in next st, K 7, increase 1 st in next st, K 12. **Row 8**—Purl. **Row 9**—K 13, place on st-holder. K 2 tog. K 7; place remaining 13 sts on 2nd st-holder.

Work in stockinette st on the 8 thumb sts for 5 rows, then decrease as follows: **Row 1**—* K 2 tog., K 1; repeat from * once ending K 2 tog. **Row 2**—P 2 tog., P 1, P 2 tog. Draw remaining sts tog. and fasten off. Sew thumb seam.

Place the first 13 sts from first st-holder to Needle, attach yarn, pick up 1 st at base of thumb. Place the sts from 2nd st-holder to left hand Needle and work across row. Work even in stockinette st for 14 rows, then decrease tip of mitten as follows: **Row 1**—K 2, * K 2 tog., K 3; repeat from * across row. **Row 2**—Purl. **Row 3**—K 2, * K 2 tog., K 2; repeat from * across row. **Row 4**—Purl. **Row 5**—* K 1, K 2 tog.; repeat from * across row ending K 2. **Row 6**—P 2 tog. across row. Draw remaining sts tog. and fasten off. Sew side seam.

LEFT MITTEN: Work as given for right mitten.

With contrasting color, make a ch st cord of desired length to draw through beading at wrist and trim with Pompoms as illustrated.

BRAIDED-CABLE MITTENS No. 4146

Sizes 10 to 12 and 12 to 14 yrs.

1 Pr. Standard No. 8 Needles for size 10 to 12

1 Pr. Standard No. 10 Needles for size 12 to 14

Double Pointed Needle

Jack Frost Willow Yarn—2 2-oz. Skeins

or

Jack Frost Knitting Worsted—1 4-oz. Skein

RIGHT MITTEN: With Willow Yarn or double strands of Knitting Worsted, cast on 26 sts. Work in ribbing of K 1, P 1, for 3 in. Work as follows: **Row 1**—* K 2, P 1; repeat from * 3 times, K 14. **Row 2**—P 14, * K 1, P 2; repeat from * across row. **Row 3**—K 2, P 1, slip next 3 sts to D P N (double pointed Needle), hold in back of work, K next 2 sts, then slip the P st from D P N to left hand Needle and P it, K the 2 remaining sts from D P N; P 1, K 2, P 1, K 2; increase 1 st in next st, K 1, increase 1 st in next st, K 9. **Row 4**—P 16, * K 1, P 2; repeat from * across row. **Row 5**—K 2, * P 1, K 2; repeat from * 3 times; increase 1 st in next st, K 3, increase 1 st in next st, K across row. **Row 6**—P 18, * K 1, P 2; repeat from * across row. **Row 7**—K 2, P 1, K 2, P 1, slip next 3 sts to D P N, hold in front of work, K 2, slip the P st from D P N to left hand Needle and P it, then K the 2 sts from D P N, P 1, K 2; increase 1 st in next st, K 5, increase 1 st in next st, K across row. **Row 8**—P 20 * K 1, P 2; repeat from * across row. **Row 9**—K 2, * P 1, K 2; repeat from * 3 times; increase 1 st in next st, K 7, increase 1 st in next st, K across row. **Row 10**—P 22, * K 1, P 2; repeat from * across row. **Row 11**—K 2, P 1, slip next 3 sts to D P N, hold in back of work, K next 2 sts, slip the P st from D P N to left hand Needle and P it, then K the 2 sts from D P N; P 1, K 2, P 1, K 2, place the 14 sts just worked on st-holder. K next 11 sts for thumb. Place remaining 9 sts on 2nd st-holder. P back on the 11 thumb sts decreasing 1 st at each end. K 1 row, P 1 row on remaining 9 thumb sts for 7 rows. Decrease tip of thumb as follows: **Row 1**—P 2 tog. 4 times, P 1, **Row 2**—K 2 tog. 2 times, K 1. Draw remaining sts tog. and fasten off. Sew thumb seam. Place the 14 sts from first st-holder to Needle. Attach yarn, pick up 2 sts at base of thumb; place the 9 sts from 2nd st-holder to left hand Needle and K across row (25 sts). Work back and forth in pattern working a cable twist every 4th row as given above until piece measures 3 in. from base of thumb (3½ in. for size 12 to 14). Decrease tip of mitten as follows: **Row 1** (right side)—K 2, * P 1, K 2 tog.; repeat from * 2 times, P 1, then K 2 tog., K 1 across remaining sts ending K 2. **Row 2**—P 9, * K 1, P 1; repeat from * across row ending P 2. **Row 3**—* K 2 tog., K 1, repeat from * across row. **Row 4**—P 2 tog. across row. Draw remaining sts tog. and fasten off. Sew side seam.

LEFT MITTEN: Work same as right mitten in reverse as follows: **Row 1**—K 14, * P 1, K 2; repeat from * across row. **Row 2**—* P 2, K 1; repeat from * 3 times, P 14. **Row 3**—K 9, increase 1 st in next st, K 1, increase 1 st in next st, K 2, P 1, K 2, P 1, work a cable twist over the next 5 sts, P 1, K 2. **Row 4**—* P 2, K 1; repeat from * 3 times, P across row.
Continue working in reverse to correspond to right mitten.

•

CLASSIC MITTENS No. 4147

Sizes 4 to 6 — 6 to 8 — 8 to 10 yrs.

1 Pr. Standard No. 8 Needles

Jack Frost Willow Yarn—1 2-oz. Skein

or

Jack Frost Knitting Worsted—1 4-oz. Skein

RIGHT MITTEN: With Willow Yarn or double strands of Knitting worsted, cast on 22 sts (size 6 to 8, 24 sts—8 to 10, 26 sts). Work in ribbing of K 1, P 1, for 15 rows (size 6 to 8, 17 rows—8 to 10, 20 rows). P 1 row decreasing 2 sts in center of row. K 1 row, P 1 row, then start thumb gusset as follows: K 9, increase 1 st in each of next 2 sts, K 9 (for size 6 to 8, K 10 before and after the increases—for size 8 to 10, K 11 before and after the increases). P 1 row. K 9, increase 1 st in next st, K 2, increase 1 st in next st, K 9. Continue increasing as described above, having 2 more sts between increases every other row with 1 P row in between until there are 6 sts between increases for size 4 to 6 (8 sts for size 6 to 8 and 8 to 10), then work as follows: K 10, place on st-holder; K 8 (thumb sts), place remaining 10 sts on 2nd st-holder [size 6 to 8, work over 11 sts, place on st-holder; K 2 tog., K 8 (thumb sts), place remaining 11 sts on 2nd st-holder—size 8 to 10, work over 12 sts, place on st-holder; K 10 (thumb sts), place remaining 12 sts on 2nd st-holder].
Work back and forth on the thumb sts for 6 rows, then decrease as follows: * K 2 tog., K 1; repeat from * ending K 2 tog. On the next row, P 2 tog. across row ending P 1. For size 6 to 8, work in stockinette st over the 9 thumb sts for 7 rows, then decrease as follows: * K 1, K 2 tog.; repeat from * across row. P 2 tog. across next row. For size 8 to 10, work in stockinette st over the 10 thumb sts for 8 rows, then decrease as follows: * K 1, K 2 tog.; repeat from * across row ending K 1. P 2 tog. across next row, ending P 1. Draw remaining sts tog. and fasten off. Sew thumb seam. Place the sts from first st-holder to Needle. Attach yarn and pick up 2 sts at base of thumb. Place remaining sts from 2nd st-holder to left hand Needle and K across row. Work in stockinette st until piece measures 2½ in. from base of thumb (size 6 to 8, 2¾ in.—8 to 10, 3 in.). Decrease tip of mitten as follows: **Row 1**—K 2, * K 2 tog., K 3; repeat from * across row. **Row 2**—Purl. **Row 3**—* K 3, K 2 tog.; repeat from * across row. **Row 4**—Purl. **Row 5**—K 1, then K 2 tog. across row. **Row 6**—P 2 tog. across row. (Size 6 to 8: **Row 1**—K 2, K 2 tog., * K 3, K 2 tog.; repeat from * across row. **Row 2**—Purl. **Row 3**—K 1, * K 2 tog., K 3; repeat from * across row ending K 2 tog., K 1. **Row 4**—Purl. **Row 5**—K 1, K 2 tog.; repeat from * across row. **Row 6**—P 2 tog. across row.—Size 8 to 10: **Row 1**—K 1, * K 2 tog., K 3; repeat from * across row. **Row 2**—Purl. **Row 3**—Repeat Row 1. **Row 4**—Purl. **Row 5**—K 2 tog., * K 1, K 2 tog.; repeat from * across row. **Row 6**—P 2 tog. across row). Draw remaining sts tog. and fasten off. Sew side seam.

LEFT MITTEN: Work as given for right mitten.

•

RIBBED MITTENS No. 4148

1 Pr. Standard No. 8 Needles

Size 4 to 6 yrs.

Jack Frost Willow Yarn—1 2-oz. Skein

or

Jack Frost Knitting Worsted—1 4-oz. Skein

RIGHT MITTEN: With Willow Yarn or double strands of Knitting Worsted, cast on 23 sts. Work in ribbing of K 1, P 1, for 2½ in. K 1 row decreasing to 20 sts. P 1 row, then start thumb gusset as follows: **Row 1**—K 9, increase 1 st in each of next 2 sts, K 9. **Row 2**—K 10, P 2, K 10. **Row 3**—K 9, increase 1 st in next st, K 2, increase 1 st in next st, K 9. **Row 4**—Purl. **Row 5**—K 9, increase 1 st in next st, K 4, increase 1 st in next st, K 9. **Row 6**—Purl. **Row 7**—K 9, increase 1 st in next st, K 6, increase 1 st in next st, K 9. **Row 8**—K 10; place on st-holder, P 8 (thumb sts), place remaining 10 sts on 2nd st-holder. K 1 row, P 1 row, on the 8 thumb sts for 6 rows, then decrease as follows: **Row 1**—K 2 tog., K 3, K 2 tog., K 1. **Row 2**—Purl. **Row 3**—K 2 tog. across row. Draw remaining sts tog, and fasten off. Sew thumb seam. Place sts from first st-holder to Needle; attach yarn and pick up 2 sts at base of thumb. Place sts from 2nd st-holder to left hand Needle and K them. Work in pattern * K 1 row, P 1 row, for 5 rows; K 1 row on P side; repeat from * until piece measures 2½ in. from base of thumb (5 ridges), then decrease tip of mitten as follows: **Row 1** (right side)—K 2, * K 2 tog., K 3; repeat from * across row. **Row 2**—Purl. **Row 3**—* K 3, K 2 tog.; repeat from * across row ending K 3. **Row 4**—Purl. **Row 5**—K 1, then K 2 tog. across row. **Row 6**—P 2 tog. across row. Draw remaining sts tog. and fasten off Sew side seam.

LEFT MITTEN: Work as given for right mitten.

CLASSIC MITTENS No. 4149

Size 6 to 8 yrs.

1 Pr. Standard No. 4 Needles

Jack Frost Knitting Worsted—1 4-oz. Skein

RIGHT MITTEN: Cast on 33 sts. Work in ribbing as follows: **Row 1** (right side)— * K 1, P 2; repeat from * across row. **Row 2** — * K 2, P 1; repeat from * across row. Repeat above 2 rows until piece measures 2¾ in. from lower edge. Starting on right side, K 1 row, P 1 row for 4 rows, then start gusset for thumb as follows: **Row 1**—K 15, increase 1 st in next st, K 1, increase 1 st in next st, K 15. **Row 2**—Purl. **Row 3**—K 15, increase 1 st in next st, K 3, increase 1 st in next st, K 15. **Row 4**—Purl. Continue increasing in the above manner having 2 more sts between increases every other row until there are 6 increased rows in all. P 1 row after the last increased row, then work as follows: K 16; place on st-holder. K the next 13 sts (thumb sts). Place remaining 16 sts on 2nd st-holder. Work even on the 13 thumb sts for 11 rows, then decrease as follows: **Row 1**—K 1, * K 2 tog., K 1; repeat from * across row. **Row 2**—P 1, then P 2 tog. across row. Draw remaining sts tog. and fasten off. Sew thumb seam. Place the 16 sts from first st-holder to Needle. Attach yarn and pick up 3 sts at base of thumb. Place the 16 sts from 2nd st-holder to left hand Needle and K across row (35 sts). Work even in stockinette st until piece measures 3 in. from base of thumb. Decrease as follows: **Row 1**—K 1, K 2 tog., K 11, slip 1 st, K 1, P S S O (pass the slipped st over the K st), K 2 tog., K 1 K 2 tog., K 11, slip 1 st, K 1, P S S O, K 1. **Row 2**—Purl. **Row 3**—K 1, K 2 tog., K 9, slip 1 st, K 1, P S S O, K 2, K 2 tog., K 9, slip 1 st, K 1, P S S O, K 1. **Row 4**—Purl. Continue decreasing as described for Row 3 having 2 sts less between decreases every other row until there are 4 decreased rows in all. Bind off on P side. Weave or sew tip of mitten tog. Sew side seam.

LEFT MITTEN: Work as given for right mitten.
These mittens may be finished in style 4151, 4152 and 4154.

•

NORWEGIAN-TYPE MITTENS No. 4150

Sizes 6 to 8 — 8 to 10 — 10 to 12 yrs.

1 Pr. Standard No. 3 Needles for size 6 to 8 yrs.

1 Pr. Standard No. 4 Needles for size 8 to 10 yrs.

1 Pr. Standard No. 5 Needles for size 10 to 12 yrs.

Jack Frost Knitting Worsted—Main color 3-oz.

Contrasting color 2-oz.

RIGHT MITTEN: With Main color (M C) cast on 35 sts. Work in ribbing of K 1, P 1, for 20 rows. Work 4 rows even in pattern following the chart as follows: **Row 1**—K 1 M C, * 1 contrasting color (C C), 1 M C, 1 C C, 3 M C; repeat from * 4 times ending with 1 C C , 1 M C, 1 C C, 1 M C. **Row 2**—P 2 M C, * 1 C C, 5 M C; repeat from * 4 times ending with 1 C C, 2 M C. **Row 3**—Repeat Row 1. **Row 4**—P 1 row M C, then start increasing for thumb gusset as follows: divide the contrasting color into 2 balls, then K 4 M C, 1 C C, 1 M C, 1 C C, 3 M C, 1 C C, 1 M C, 1 C C, 3 M C; continuing with M C increase 1 st in next st, K 1, increase 1 st in next st, K 3, then with 2nd ball of C C, K 1, 1 M C, 1 C C, 3 M C, 1 C C, 1 M C, 1 C C, 4 M C. **Row 2**—P 5 M C, 1 C C, 5 M C, 1 C C, 13 M C, 1 C C, 5 M C, 1 C C, 5 M C. **Row 3**—K 4 M C, 1 C C, 1 M C, 1 C C, 3 M C, 1 C C, 1 M C, 1 C C, 3 M C; continuing with main color increase, 1 st in next st, K 3, increase 1 st in next st, K 3, then change to C C and K 1, 1 M C, 1 C C, 3 M C, 1 C C, 1 M C, 1 C C, 4 M C. **Row 4**—P 1 row in M C. Continue following the chart, increasing for thumb gusset as described above having 2 more sts between increases every other row until there are 11 sts between increases. P 1 row after last increased row, then work as follows: following pattern, K 17, place on st-holder. K next 13 sts for thumb. Place remaining 17 sts on 2nd st-holder. Work in stockinette st on the 13 thumb sts for 11 rows, then decrease tip of thumb as follows: **Row 1**—K 1, * K 2 tog., K 1; repeat from * across row. **Row 2**—* P 1, P 2 tog.; repeat from * across row. Draw remaining sts tog. and fasten off. Sew thumb seam.
Place sts from first st-holder to Needle. Attach yarn and pick up 1 st at base of thumb. Place sts from 2nd st-holder to left hand Needle and work across in pattern. Continuing pattern as given on chart, work even for 19 rows.

Following the chart, decrease tip of mitten as follows: **Row 1**—K 1, K 2 tog., K 11, slip 1 st, K 1, P S S O (pass the slipped st over the K st), K 2 tog., K 1, K 2 tog., K 11, slip next st, K 1, P S S O, K 1. **Row 2**—Purl. **Row 3**—K 1, K 2 tog., K 9, slip next st, K 1, P S S O, K 2, K 2 tog., K 9, slip next st, K 1, P S S O, K 1. **Row 4**—Purl. **Row 5**—K 1, K 2 tog., K 7, slip next st, K 1, P S S O, K 2, K 2 tog., K 7, slip next st, K 1, P S S O, K 1. **Row 6**—Purl. **Row 7**—K 1, K 2 tog., K 5, slip next st, K 1, P S S O, K 2, K 2 tog., K 5, slip next st, K 1, P S S O, K 1. **Row 8**—Purl. Weave or sew tip of mitten tog. Sew side seam.

LEFT MITTEN: Work as given for right mitten.



CLASSIC MITTENS No. 4151

Size 4 to 6 yrs.

1 Pr. Standard No. 4 Needles

Jack Frost Knitting Worsted—2-oz.

RIGHT MITTEN: Cast on 30 sts. Work in ribbing of K 1, P 2, as given for No. 4149, until piece measures 2¼ in. from lower edge. K 1 row, decreasing to 29 sts. P 1 row, then start thumb gusset as follows: **Row 1**—K 13, increase 1 st in next st, K 1, increase 1 st in next st, K 13. **Row 2**—Purl. **Row 3**—K 13, increase 1 st in next st, K 3, increase 1 st in next st, K 13. **Row 4**—Purl. Continue increasing in the above manner, having 2 more sts between increases every other row until there are 5 increased rows in all. P 1 row after last increased row, then work as follows: K 14; place on st-holder. K next 11 sts (thumb sts). Place remaining 14 sts on 2nd st-holder. Work back and forth on the 11 thumb sts for 8 rows, then decrease tip of thumb as

follows: **Row 1**—* P 1, P 2 tog.; repeat from * across row ending P 2. **Row 2**—K 2 tog. across row. Draw remaining sts tog. and fasten off. Sew thumb seam.
Place the 14 sts from st-holder to Needle. Attach yarn and pick up 3 sts at base of thumb. Place remaining 14 sts from 2nd st-holder to left hand Needle and K across row. Work back and forth in stockinette st on the 31 sts until piece measures 2½ in. from base of thumb. Decrease tip of mitten as follows: **Row 1**—K 1, K 2 tog., K 9, slip next st, K 1, P S S O (pass the slipped st over the K st), K 2 tog., K 1, K 2 tog., K 9, slip 1 st, K 1, P S S O, K 1. **Row 2** Purl. **Row 3**—K 1, K 2 tog., K 7, slip 1 st, K 1, P S S O, K 2, K 2 tog., K 7, slip 1 st, K 1, P S S O, K 1. **Row 4**—Purl. **Row 5**—K 1, K 2 tog., K 5, slip 1 st, K 1, P S S O, K 2, K 2 tog., K 5, slip 1 st, K 1, P S S O, K 1. **Row 6**—Purl. Weave or sew tip of mitten tog. Sew side seam.

LEFT MITTEN. Work as given for right mitten.
Work 1 row of blanket stitching around mitten as illustrated, working from the back of mitten.
For variation, these mittens may be styled as given for Nos. 4152 & 4154.

•

CLASSIC MITTENS No. 4152

Size 12 to 14

1 Pr. Standard No. 4 Needles

Jack Frost Knitting Worsted—1 4-oz. Skein

RIGHT MITTEN: Cast on 39 sts. Work in ribbing of K 1, P 2, as given for No. 4149, until piece measures 3 in. from lower edge. K 1 row, P 1 row, for 6 rows, then start thumb gusset as follows: **Row 1**—K 18, increase 1 st in next st, K 1, increase 1 st in next st, K 18. **Row 2**—Purl. **Row 3**—K 18, increase 1 st in next st, K 3, increase 1 st in next st, K 18. **Row 4**—Purl. Continue increasing in the above manner having 2 more sts between increases every other row until there are 7 increased rows in all. P 1 row after the last increased row, then work as follows: K 19; place on st-holder. K next 15 sts (thumb sts). Place remaining 19 sts on 2nd st-holder. Work back and forth in stockinette st on the 15 thumb sts for 14 rows, then decrease tip of thumb as follows: **Row 1**—* P 1, P 2 tog.; repeat from * across row. **Row 2**—K 2 tog. across row. Draw remaining sts tog. and fasten off. Sew thumb seam.
Place the 19 sts from first st-holder to Needle. Attach yarn and pick up 3 sts at base of thumb. Place remaining 19 sts from 2nd st-holder to left hand Needle and K across row. Work back and forth in stockinette st on the 41 sts until piece measures 3½ in. from base of thumb. Decrease tip of mitten as follows: **Row 1**—K 1, K 2 tog., K 14, slip next st, K 1, P S S O (pass slipped st over the K st), K 2 tog., K 1, K 2 tog., K 14, slip next st, K 1, P S S O, K 1. **Row 2**—Purl. **Row 3**—K 1, K 2 tog., K 12, slip next st, K 1, P S S O, K 2, K 2 tog., K 12, slip next st, K 1, P S S O, K 1. **Row 4**—Purl. **Row 5**—K 1, K 2 tog., K 10, slip next st, K 1, P S S O, K 2, K 2 tog., K 10, slip next st, K 1, P S S O, K 1. **Row 6**—Purl. **Row 7**—K 1, K 2 tog., K 8, slip next st, K 1, P S S O, K 2, K 2 tog., K 8, slip next st, K 1, P S S O, K 1. **Row 8**—Purl. Weave or sew tip of mitten tog. Sew side seam.

LEFT MITTEN: Work as given for right mitten.
Embroider as illustrated and trim with pompoms.
For variation, these mittens may be styled as given for Nos. 4151 & 4154.

Wash Your Sweaters, Blankets, Socks, etc., with

WOOLFOAM

Leaves garments soft fluffy and really clean . . . . just try it!

Made for Wool by a Wool Firm 25c
At Art Needlework & Notion Depts.

THUMBLESS MITTENS No. 4153

Size 1 to 2 yrs.

1 Pr. Standard No. 4 Needles

Jack Frost Knitting Worsted—2-oz.

RIGHT MITTEN: Cast on 27 sts. Work in ribbing of K 1, P 1, for 12 rows, then work beading on next row as follows: * K 2 tog., Y O (yarn over); repeat from * across row ending K 1. Work in ribbing of P 1, K 1, for 4 rows. Work even in stockinette st for 22 rows (about 2½ in.). Decrease tip of mitten as follows: **Row 1**—K 2, * K 2 tog., K 3; repeat from * across row. **Row 2**—Purl **Row 3**—K 2, * K 2 tog., K 2; repeat from * across row. **Row 4**—Purl. **Row 5**—* K 1, K 2 tog.; repeat from * across row ending K 2. **Row 6**—P 2 tog. across row. Draw remaining sts tog. and fasten off. Sew side seam.

LEFT MITTEN: Work as given for right mitten.
With contrasting color, make a ch st cord of desired length to draw through beading at wrist and trim with Pompoms as illustrated.

•

CLASSIC MITTENS No. 4154

Size 10 to 12

1 Pr. Standard No. 4 Needles

Jack Frost Knitting Worsted—Main color, 2-oz.

Contrasting color, 1-oz.

RIGHT MITTEN. With Main color cast on 36 sts. Work in ribbing of K 1, P 2, as given for No. 4149, until piece measures 1½ in. from lower edge. Change to contrasting color and continue ribbing for 6 more rows. Change to main color and continue ribbing until piece measures 3 in. from lower edge. K 1 row P 1 row, for 6 rows increasing to 37 sts on the first row, then start thumb gusset as follows: **Row 1**—K 17, increase 1 st in next st, K 1, increase 1 st in next st, K 17. **Row 2**—Purl. **Row 3**—K 17, increase 1 st in next st, K 3, increase 1 st in next st, K 17. **Row 4**—Purl. Continue increasing in the above manner having 2 more sts between increases every other row until there are 6 increased rows in all. P 1 row after last increased row, then work as follows: K 18; place on st-holder. K next 13 sts for thumb. Place remaining 18 sts on 2nd st-holder. Work back and forth on the 13 thumb sts for 13 rows, then decrease tip of thumb as follows: **Row 1**—K 1, * K 2 tog., K 1; repeat from * across row. **Row 2**—P 1, then P 2 tog. across row. Draw remaining sts tog. and fasten off. Sew thumb seam.
Place the 18 sts from first st-holder to Needle. Attach yarn and pick up 3 sts at base of thumb. Place the sts from 2nd st-holder to left hand Needle and K across row. Purl back, then change to contrasting color and K 1 row, P 1 row, for 6 rows. Change to main color and continue stockinette st until piece measures 3¼ in. from base of thumb. Decrease tip of mitten as follows: **Row 1**—K 1, K 2 tog., K 13, slip next st, K 1, P S S O (pass slipped st over the K st), K 2 tog., K 1, K 2 tog., K 13, slip next st, K 1, P S S O, K 1. **Row 2**—Purl. **Row 3**—K 1, K 2 tog., K 11, slip next st, K 1, P S S O, K 2, K 2 tog., K 11, slip next st, K 1, P S S O. K 1. **Row 4**—Purl. **Row 5**—K 1, K 2 tog., K 9, slip next st, K 1, P S S O, K 2, K 2 tog., K 9, slip next st, K 1, P S S O, K 1. **Row 6**—Purl. **Row 7**—K 1, K 2 tog., K 7, slip next st, K 1, P S S O, K 2, K 2 tog., K 7, slip next st, K 1, P S S O, K 1. **Row 8**—Purl. Weave or sew tip of mitten tog. Sew side seam.

LEFT MITTEN: Work as given for right mitten.

(NOTE): MOSS STITCH is made by working in pattern of K. 1, P. 1, always working a K. st. over a P., and a P., over a K.

Abbreviations used in this volume.

K.—Knit	Tog.—Together	Sl. St.—Slip Stitch
P.—Purl	Pat.—Pattern	Y. O.—Yarn Over
S. C.—Single Crochet	St.—Stitch	D. C.—Double Crochet

P. S. S. O.—Pass Slip Stitch Over

(*) An asterisk indicates that the directions which follow are to be repeated.

Printed in U.S.A.

JACK FROST YARN CO., NEW YORK

JACK FROST INSTRUCTION BOOKS

First Choice of Millions of Knitters

VOL. 34 — PRICE 20¢

VOL. 35 — PRICE 20¢

VOL. 36 — PRICE 20¢

VOL. 37 — PRICE 20¢

VOL. 38 — PRICE 20¢

VOL. 39 — PRICE 20¢

VOL. 40 — PRICE 25¢

VOL. 41 — PRICE 25¢

VOL. 42 — PRICE 20¢

VOL. 43 — PRICE 20¢

VOL. 44 — PRICE 20¢

VOL. 45 — PRICE 25¢

VOL. 46 — PRICE 25¢

VOL. 47 — PRICE 25¢

VOL. 48 — PRICE 20¢

VOL. 49 — PRICE 20¢

VOL. 50 — PRICE 20¢

VOL. 51 — PRICE 25¢

VOL. 56 — PRICE 20¢

VOL. 57 — PRICE 20¢

NEWEST STYLES • SIMPLIFIED INSTRUCTIONS